Fumagalli®

since 1973

MADE IN ITALY



TOP SELECTION GARDEN 2026







CLASSIC RANGE

	REVIVAL	HALF LANTERN	HEXAGONAL	SQUARE
GARDEN SMALL	GIAMPY  pag.17 ROBY  pag.29	FABIO  pag.11 IESSE  pag.13 PIERO NEW  pag.13	ANNA  pag.47 SABA  pag.51	MARY  pag.55
GARDEN MEDIUM	SANDRO  pag.21 DARIO  pag.31	GIULIO NEW  pag.11 ESAU NEW  pag.15	RUT  pag.63 SALEM  pag.67	GOLIA  pag.71 CEFA  pag.75
GARDEN LARGE	LUCA NEW  pag.25 SERGIO  pag.35	DARIA  pag.15	NOEMI  pag.83 SILOE  pag.87	TOBIA  pag.91 SIMON  pag.95
GLOBES	GL250 MODERN  pag.39 GL250 CLASSIC  pag.59	GL300 MODERN  pag.43 GL300 CLASSIC  pag.79		
NEW BOLLARD	BRUNO DUO NEW  pag.99 BRUNO DUO WALL NEW  pag.99	BRUNO NEW  pag.101 BRUNO WALL NEW  pag.101		
BOLLARD			SAURO GX53  pag.103 MIRELLA GX53  pag.103	SAURO E27  pag.105 MIRELLA E27  pag.105

fumagalli®
since 1973

BISSO/ANNA
for details see pag. 47




BRUNO DUO 700
for details see pag. 99


MADE IN ITALY

NEW ENTRY!




DISMA/ROBY
for details see pag. 29





NARDO/GIAMPY
for details see pag. 17

ESAU
for details see pag. 15



FABIO
for details see pag. 11



PIERO
for details see pag. 13



MODERN RANGE

NEWS















BOLLARD





















DOWNLIGHT


















UP&DOWN















FLOODLIGHT











IN-GROUND







BRICKLIGHT

BULKHEAD

POST

fumagalli®
since 1973

MADE IN ITALY

VIRGILIO 500
for details see pag.109

DS3.558

DS3.563

DS3.564

BERTINA
for details see pag.183

2B1.000

FRANCY-OP
for details see pag.153

2A2.000

MINITOMMY-EL
for details see pag.157

NEW GU10 130 lumen/W

1M2.001

PEPPINO
for details see pag.155

1P1.000

NEW GU10 130 lumen/W

NEW ENTRY!

SOLAR RANGE

MODERN


FIORINA
pag.205


FORTUNATO
pag.205


FELICE
pag.207


SANTINA
pag.208


JOSEPHA
pag.209

CLASSIC


ROSETTA
pag.211



TAKE ADVANTAGE OF ALL OUR PROMOTIONS!

GARDEN RANGE



PROJECT RANGE



TO SEE OUR COMPLETE COLLECTION

Ask for our NEW **General Catalogue 2027**
or visit our website at
www.fumagalli.it



fumagalli since 1973

SAVE UP TO 40% VOLUME

MADE IN ITALY

SINGLE BOX





SMART PACK







- SAVE UP TO 40% VOLUME
- ECO-FRIENDLY PACKAGING
- FILM WRAPPED ITEMS

AVAILABLE FOR:


FABIO
pag.11


GIULIO NEW
pag.11


PIERO NEW
pag.13


IESSE
pag.13


ESAU NEW
pag.15


TERESA 90
pag.138


FRANCY/FRANCY-OP
pag.153


BERTINA
pag.183


BERTA
pag.185


UMBERTA
pag.187


LUCIA
pag.193


MADDI
pag.195

HOW TO READ THE CODE

DIFFUSER	STRUCTURE	SYSTEM	COLOUR OF THE STRUCTURE	COLOUR OF THE DIFFUSER	ELECTRIFICATION	VARIANT
IDENTIFIES THE DIFFUSER	IDENTIFIES THE STRUCTURE ON WHICH THE DIFFUSER IS MOUNTED (POLE, BRACKET, BASE, SPIKE)	IDENTIFIES THE MULTILIGHT SYSTEM IF PRESENT	IDENTIFIES THE COLOUR OF THE STRUCTURE A BLACK W WHITE L GREY	IDENTIFIES THE COLOUR OF THE DIFFUSER X CLEAR/FROSTED Y OPAL Z SMOKED N GREEN R ORANGE U BLUE	IDENTIFIES THE TYPE OF ELECTRIFICATION AND THE EVENTUAL PRESENCE OF BULBS	IDENTIFIES THE PRESENCE OF COMPONENTS SUCH AS AN EVENTUAL LOUVRE OR BACKLIT BASE ON THE BULKHEAD RANGE
1R3	. 613	. X20	. A	Y	E1P	OR1



BISSO/GOLIA
for details see pag. 71



MIKROLOT/MARY
for details see pag. 55



IOLE/SERGIO
for details see pag. 35

fumagalli®
since 1973

NEW ENTRY!






DISMA/GIAMPY
for details see pag. 17

MIDIDISMA/SANDRO
for details see pag. 21

MAXIDISMA/LUCA
for details see pag. 25

BRUNO DUO 700
for details see pag. 99



DISMA/ROBY
for details see pag. 29



MIKROLOT/ANNA
for details see pag. 47

MINILOT/RUT
for details see pag. 63

TOP SELECTION 2026 - CLASSIC RANGE



ESAU
for details see pag.15



IESSE
for details see pag. 13



PIERO
for details see pag. 13

NEW



FABIO
for details see pag.11



GIULIO
for details see pag. 11

FABIO-GIULIO
HALF LANTERN



fumagalli since 1973

MADE IN ITALY



More details at page 213



NEW

GREY COLOUR AVAILABLE

M24.000.V1K

SCAN ME!
Discover the collection

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

SINGLE BOX



FABIO master box
0,16 cbm-18 pcs

GIULIO master box
0,19 cbm-12 pcs

SMART PACK

- ✓ Save **35 %** volume
- ✓ ECO-friendly packaging
- ✓ Film wrapped items

SAVE UP TO 35 % VOLUME



FABIO
0,14 cbm-24 pcs

GIULIO
0,21 cbm-18 pcs

AVAILABLE COLORS	
RESIN BODY	DIFFUSER



E27 CCT LED VERSION	
	8,5W
	920 lm
	100-240V 50/60 Hz
	2700K/4000K/6500K
CCT SET	= 75W INCANDESCENT


E27 FILAMENT LED VERSION	
	6,5W
	800 lm
	100-240V 50/60 Hz
	2700K
	= 60W INCANDESCENT



FABIO



E27		M21.000.E27	SMART PACK
E27		M20.000.E27	SINGLE BOX
6,5W FILAMENT	2700K	M20.000.F1R	SINGLE BOX
8,5W	CCT SET	M20.000.V1K	SINGLE BOX




Standard Master box: ***18pcs***
Smart Pack Master box: ***24pcs***

GIULIO



E27		M25.000.E27	SMART PACK
E27		M24.000.E27	SINGLE BOX
6,5W FILAMENT	2700K	M24.000.F1R	SINGLE BOX
8,5W	CCT SET	M24.000.V1K	SINGLE BOX



Standard Master box: ***12pcs***
Smart Pack Master box: ***18pcs***

PIERO-IESSE
HALF LANTERNS



fumagalli since 1973

MADE IN ITALY



6,5W	8,5W		11W
800 lm	**920 lm**		**1200 lm**
2700 K	**2700 K**	**4000 K**	**6500 K**

More details at page 213

NEW

M18.000.F1R

SINGLE BOX



PIERO master box
0,16 cbm-18 pcs

IESSE master box
0,22 cbm-16 pcs

SMART PACK

- Save up to **44 %** volume
- ECO-friendly packaging
- Film wrapped items



SAVE UP TO 44 % VOLUME

PIERO
0,14 cbm-24 pcs

IESSE
0,14 cbm-18 pcs

U.V. UV TREATED · ANTI SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK **(A)** WHITE **(W)**	CLEAR **(X)** OPAL **(Y)**

E27 CCT LED VERSION		
8,5W		11W
920 lm		1200 lm
100-240V 50/60 Hz		100-240V 50/60 Hz
2700K/4000K/6500K		2700K/4000K/6500K
= 60W INCANDESCENT	CCT SET	= 75W INCANDESCENT

E27 FILAMENT LED	
	6,5W
	800 lm
	100-240V 50/60 Hz
	2700K
	= 60W INCANDESCENT

E27 VERSION



PIERO

IP55



NEW

E27	M19.000.E27	SMART PACK
E27	M18.000.E27	SINGLE BOX
6,5W FILAMENT 2700K	M18.000.F1R	SINGLE BOX
8,5W CCT SET	M18.000.V1K	SINGLE BOX




Standard Master box: ***18pcs***
Smart Pack Master box: ***24pcs***

IESSE

IP55




E27	M23.000.E27	SMART PACK
E27	M22.000.E27	SINGLE BOX
6,5W FILAMENT 2700K	M22.000.F1R	SINGLE BOX
8,5W CCT SET	M22.000.V1K	SINGLE BOX



Standard Master box: ***16pcs***
Smart Pack Master box: ***18pcs***

GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

ESAU-DARIA
HALF LANTERNS



fumagalli since 1973

MADE IN ITALY



More details at page 213

NEW

M26.000.V1K

SINGLE BOX



ESAU master box
0,19 cbm-10 pcs

SMART PACK

- Save up to 44 % volume
- ECO-friendly packaging
- Film wrapped items



ESAU
0,19 cbm-16 pcs

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK **(A)** WHITE **(W)**	CLEAR **(X)** OPAL **(Y)**

E27 CCT LED VERSION		
8,5W		11W
920 lm		1200 lm
100-240V 50/60 Hz		100-240V 50/60 Hz
2700K/4000K/6500K		2700K/4000K/6500K
= 60W INCANDESCENT	CCT SET	= 75W INCANDESCENT

E27 FILAMENT LED	
	6,5W
	800 lm
	100-240V 50/60 Hz
	2700K
	= 60W INCANDESCENT

E27 VERSION



ESAU

IP55



NEW

E27		M27.000.E27	SMART PACK
E27		M26.000.E27	SINGLE BOX
6,5W FILAMENT	2700K	M26.000.F1R	SINGLE BOX
8,5W	CCT SET	M26.000.V1K	SINGLE BOX




Standard Master box: ***10pcs***
Smart Pack Master box: ***16pcs***

DARIA

IP55



E27		M28.000.E27	SINGLE BOX
6,5W FILAMENT	2700K	M28.000.F1R	SINGLE BOX
11W	CCT SET	M28.000.T1K	SINGLE BOX



GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

GIAMPY RANGE
SMALL SIZE

fumagalli since 1973

MADE IN ITALY



More details at page 213

H21.240.V1K

NEW

GREY COLOUR AVAILABLE

NEW

C ETL US LISTED Intertek

Discover the collection

SCAN ME!

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

GIAMPY RANGE

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK (A), NEW COLOUR, GREY (L), WHITE (W)	CLEAR (X), OPAL (Y)

E27 CCT LED VERSION	
	8,5W
	920 lm
	100-240V 50/60 Hz
	2700K/4000K/6500K
CCT SET	= 75W INCANDESCENT


E27 FILAMENT LED VERSION	
	6,5W
	800 lm
	100-240V 50/60 Hz
	2700K
	= 60W INCANDESCENT

E27 VERSION

NARDO/GIAMPY

6,5W FILAMENT	2700K	H21.240.F1R
8,5W	CCT SET	H21.240.V1K
E27		H21.240.E27





Master box: **18pcs**

SICAR/GIAMPY

6,5W FILAMENT	2700K	H21.125.F1R
8,5W	CCT SET	H21.125.V1K
E27		H21.125.E27





Master box: **18pcs**

DISMA/GIAMPY

6,5W FILAMENT	2700K	H21.114.F1R
8,5W	CCT SET	H21.114.V1K
E27		H21.114.E27






Master box: **18pcs**

GIAFFA/GIAMPY (resin)

6,5W FILAMENT	2700K	H21.242.F1R
8,5W	CCT SET	H21.242.V1K
E27		H21.242.E27





GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

GIAMPY RANGE

SMALL SIZE



fumagalli since 1973

AVAILABLE COLORS	
RESIN BODY	DIFFUSER


BLACK **(A)**



GREY **(L)**


WHITE **(W)**


CLEAR **(X)**


OPAL **(Y)**

E27 CCT LED VERSION	
	8,5W
	920 lm
	100-240V 50/60 Hz
	2700K/4000K/6500K
	= 75W INCANDESCENT

E27 FILAMENT LED VERSION	
	6,5W
	800 lm
	100-240V 50/60 Hz
	2700K
	= 60W INCANDESCENT


DANILO/GIAMPY





6,5W 2700K FILAMENT	H21.305.F1R
8,5W CCT SET	H21.305.V1K

LED LAMP INCLUDED



MADE IN ITALY




DINO NARDO/GIAMPY 2L

6,5W 2700K FILAMENT	H21.306.D20.F1R
8,5W CCT SET	H21.306.D20.V1K

IP55

LED LAMP INCLUDED





NEW


DINO NARDO/GIAMPY 3L

6,5W 2700K FILAMENT	H21.306.D30.F1R
8,5W CCT SET	H21.306.D30.V1K

IP55

LED LAMP INCLUDED





NEW

GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

SANDRO RANGE
MEDIUM SIZE

fumagalli since 1973

MADE IN ITALY

NEW

GREY COLOUR AVAILABLE



6,5W	8,5W	11W
800 lm	920 lm	1200 lm
2700 K	2700 K / 4000 K / 6500 K	

More details at page 213

H24.116.V1K

Discover the collection

SCAN ME!

NEW

ETL LISTED c US Intertek

U.V. UNTREATED · ANTI SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II

SANDRO RANGE


AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK (A), NEW COLOUR, GREY (L), WHITE (W)	CLEAR (X), OPAL (Y)

E27 CCT LED VERSION	E27 FILAMENT LED VERSION	E27 VERSION
8,5W 920 lm 100-240V 50/60 Hz 2700K/4000K/6500K CCT SET = 75W INCANDESCENT	6,5W 800 lm 100-240V 50/60 Hz 2700K = 60W INCANDESCENT	

NARDO/SANDRO

6,5W FILAMENT 2700K	H24.240.F1R
8,5W CCT SET	H24.240.V1K
E27	H24.240.E27






Master box: **12pcs**

SICAR/SANDRO

6,5W FILAMENT 2700K	H24.125.F1R
8,5W CCT SET	H24.125.V1K
E27	H24.125.E27





Master box: **12pcs**

MIDIDISMA/SANDRO

6,5W FILAMENT 2700K	H24.116.F1R
8,5W CCT SET	H24.116.V1K
E27	H24.116.E27






Master box: **12pcs**

GIAFFA/SANDRO (resin)

6,5W FILAMENT 2700K	H24.242.F1R
8,5W CCT SET	H24.242.V1K
E27	H24.242.E27






GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS


DANILO/SANDRO




6,5W FILAMENT	2700K	H24.305.F1R
8,5W	CCT SET	H24.305.V1K
11W	CCT SET	H24.305.T1K



DINO/SANDRO




6,5W FILAMENT	2700K	H24.306.F1R
8,5W	CCT SET	H24.306.V1K
11W	CCT SET	H24.306.T1K



DINO NARDO/SANDRO 2L




6,5W FILAMENT	2700K	H24.306.D20.F1R
8,5W	CCT SET	H24.306.D20.V1K
11W	CCT SET	H24.306.D20.T1K



DINO NARDO/SANDRO 3L



6,5W FILAMENT	2700K	H24.306.D30.F1R
8,5W	CCT SET	H24.306.D30.V1K
11W	CCT SET	H24.306.D30.T1K



SANDRO RANGE


AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK (A), NEW COLOUR, GREY (L), WHITE (W)	CLEAR (X), OPAL (Y)

E27 CCT LED VERSION		E27 FILAMENT LED VERSION
8,5W	11W	6,5W
920 lm	1200 lm	800 lm
100-240V 50/60 Hz	100-240V 50/60 Hz	100-240V 50/60 Hz
2700K/4000K/6500K	2700K/4000K/6500K	2700K
= 60W INCANDESCENT	= 75W INCANDESCENT	= 60W INCANDESCENT

EMILIO NARDO/SANDRO 2L

6,5W FILAMENT	2700K	H24.307.D20.F1R
8,5W	CCT SET	H24.307.D20.V1K
11W	CCT SET	H24.307.D20.T1K






EMILIO NARDO/SANDRO 3L

6,5W FILAMENT	2700K	
8,5W	CCT SET	
11W	CCT SET	





GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

LUCA RANGE
LARGE SIZE

fumagalli since 1973

MADE IN ITALY

HIGH POWER LED VERSION

NEW



NEW
GREY COLOUR AVAILABLE

E27 HIGH POWER LED

INDOOR & OUTDOOR USE

+80°C
-30°

90% HUMIDITY

VOLTAGE SURGE RESISTANT

15W (1690 lm)
30W (3620 lm)
50W (6550 lm)

More details at page 216

H35.243.Q1K

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

NEW

c ETL US LISTED Intertek

LUCA RANGE

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK (A), NEW COLOUR GREY (L), WHITE (W)	CLEAR (X), OPAL (Y)


E27 HIGH POWER LED VERSION		
	15W	30W
	1690 lm	3620 lm
	100-240V 50/60 Hz	100-240V 50/60 Hz
	4000K/3000K	4000K/3000K
	= LUCA 100W INCANDESCENT	= LUCA 70W HQI-SON

IOLE/LUCA



15W LED	CCT SET	H35.243.R1K
30W LED	CCT SET	H35.243.Q1K

HIGH POWER LED VERSION



MAXIDISMA/LUCA

15W LED	CCT SET	H35.117.R1K
30W LED	CCT SET	H35.117.Q1K



HIGH POWER LED VERSION




SICAR/LUCA

15W LED	CCT SET	H35.126.R1K
30W LED	CCT SET	H35.126.Q1K



HIGH POWER LED VERSION





GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

LUCA RANGE

LARGE SIZE



fumagalli since 1973

E27 HIGH POWER LED VERSION						
LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	CCT SETTABLE	COMPARISON	
	15W	1690 lm	100-240V 50/60 Hz	4000K/3000K	= LUCA 100W INCANDESCENT	
	30W	3620 lm	100-240V 50/60 Hz	4000K/3000K	= LUCA 70W HQI-SON	

DANILO/LUCA

15W LED	CCT SET	H35.305.R1K
30W LED	CCT SET	H35.305.Q1K

IP55

HIGH POWER LED VERSION



NEW

Master box: **2pcs**

DINO/LUCA

15W LED	CCT SET	H35.306.R1K
30W LED	CCT SET	H35.306.Q1K

IP55

HIGH POWER LED VERSION



NEW

Master box: **2pcs**

EMILIO/LUCA

15W LED	CCT SET	H35.307.R1K
30W LED	CCT SET	H35.307.Q1K

IP55

HIGH POWER LED VERSION



NEW

Master box: **2pcs**

MADE IN ITALY

LUCA RANGE




VANNI 2500/LUCA

30W LED | CCT SET | H35.310.Q1K

IP55

HIGH POWER LED VERSION






VANNI 2500 IOLE/LUCA 2L

30W LED | CCT SET | H35.310.E20.Q1K

HIGH POWER LED VERSION



IP55



GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

ROBY RANGE
SMALL SIZE

MADE IN ITALY

NEW

GREY COLOUR AVAILABLE



6,5W	8,5W		11W
800 lm	**920 lm**		**1200 lm**
2700 K	**2700 K**	**4000 K**	**6500 K**

More details at page 213



T20.240.E27

NEW

C ETL LISTED US
Intertek

SCAN ME!
Discover the collection

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION


AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK (A), NEW COLOUR GREY (L), WHITE (W)	CLEAR (X), OPAL (Y)

E27 CCT LED VERSION	E27 FILAMENT LED VERSION	E27 VERSION
8,5W 920 lm 100-240V 50/60 Hz 2700K/4000K/6500K CCT SET = 75W INCANDESCENT	6,5W 800 lm 100-240V 50/60 Hz 2700K = 60W INCANDESCENT	

NARDO/ROBY

6,5W FILAMENT	2700K	T20.240.F1R
8,5W	CCT SET	T20.240.V1K
E27		T20.240.E27






Master box: **18pcs**

SICAR/ROBY

6,5W FILAMENT	2700K	T20.125.F1R
8,5W	CCT SET	T20.125.V1K
E27		T20.125.E27






Master box: **18pcs**

DISMA/ROBY

6,5W FILAMENT	2700K	T20.114.F1R
8,5W	CCT SET	T20.114.V1K
E27		T20.114.E27





Master box: **18pcs**

GIAFFA/ROBY (resin)

6,5W FILAMENT	2700K	T20.242.F1R
8,5W	CCT SET	T20.242.V1K
E27		T20.242.E27





GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

DARIO RANGE
MEDIUM SIZE

fumagalli since 1973

MADE IN ITALY

NEW

GREY COLOUR AVAILABLE



6,5W	8,5W		11W
800 lm	920 lm		1200 lm
2700 K	2700 K	4000 K	6500 K

More details at page 213

T24.116.V1K

NEW

ETL LISTED c US Intertek

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II

DARIO RANGE


AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK (A), NEW COLOUR GREY (L), WHITE (W)	CLEAR (X), OPAL (Y)

E27 CCT LED VERSION	E27 FILAMENT LED VERSION	E27 VERSION
8,5W 920 lm 100-240V 50/60 Hz 2700K/4000K/6500K CCT SET = 75W INCANDESCENT	6,5W 800 lm 100-240V 50/60 Hz 2700K = 60W INCANDESCENT	

NARDO/DARIO

6,5W FILAMENT	2700K	T24.240.F1R
8,5W	CCT SET	T24.240.V1K
E27		T24.240.E27





Master box: **12pcs**

SICAR/DARIO

6,5W FILAMENT	2700K	T24.125.F1R
8,5W	CCT SET	T24.125.V1K
E27		T24.125.E27






Master box: **12pcs**

MIDIDISMA/DARIO

6,5W FILAMENT	2700K	T24.116.F1R
8,5W	CCT SET	T24.116.V1K
E27		T24.116.E27






Master box: **12pcs**

GIAFFA/DARIO (resin)

6,5W FILAMENT	2700K	T24.242.F1R
8,5W	CCT SET	T24.242.V1K
E27		T24.242.E27





GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

DANILO/DARIO




6,5W 2700K FILAMENT	T24.305.F1R
8,5W CCT SET	T24.305.V1K



DINO/DARIO




6,5W 2700K FILAMENT	T24.306.F1R
8,5W CCT SET	T24.306.V1K



DINO NARDO/DARIO 2L




6,5W 2700K FILAMENT	T24.306.D20.F1R
8,5W CCT SET	T24.306.D20.V1K



DINO NARDO/DARIO 3L



6,5W 2700K FILAMENT	T24.306.D30.F1R
8,5W CCT SET	T24.306.D30.V1K



DARIO RANGE

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK (A), NEW COLOUR GREY (L), WHITE (W)	CLEAR (X), OPAL (Y)


E27 CCT LED VERSION	
	8,5W
	920 lm
	100-240V 50/60 Hz
	2700K/4000K/6500K
	= 75W INCANDESCENT

E27 FILAMENT LED VERSION	
	6,5W
	800 lm
	100-240V 50/60 Hz
	2700K
	= 60W INCANDESCENT

EMILIO NARDO/DARIO 2L

6,5W FILAMENT	2700K	T24.307.D20.F1R
8,5W	CCT SET	T24.307.D20.V1K






EMILIO NARDO/DARIO 3L

6,5W FILAMENT	2700K	T24.307.D30.F1R
8,5W	CCT SET	T24.307.D30.V1K





GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

SERGIO RANGE
LARGE SIZE

fumagalli since 1973

MADE IN ITALY

HIGH POWER LED VERSION

T33.117.Q1K

E27 HIGH POWER LED

INDOOR & OUTDOOR USE

+80°C -30°

90% HUMIDITY

VOLTAGE SURGE RESISTANT

15W (1690 lm)
30W (3620 lm)
50W (6550 lm)

More details at page 216

NEW

GREY COLOUR AVAILABLE


NEW

ETL LISTED c US Intertek

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

SERGIO RANGE

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK (A), NEW COLOUR GREY (L), WHITE (W)	CLEAR (X), OPAL (Y)




E27 HIGH POWER LED VERSION	
15W	30W
1690 lm	3620 lm
100-240V 50/60 Hz	**100-240V** 50/60 Hz
4000K/3000K	4000K/3000K
= SERGIO 100W INCANDESCENT	= SERGIO 70W HQI-SON

IOLE/SERGIO



15W LED	CCT SET	T33.243.R1K
30W LED	CCT SET	T33.243.Q1K

HIGH POWER LED VERSION




MAXIDISMA/SERGIO

15W LED	CCT SET	T33.117.R1K
30W LED	CCT SET	T33.117.Q1K



HIGH POWER LED VERSION




SICAR/SERGIO

15W LED	CCT SET	T33.126.R1K
30W LED	CCT SET	T33.126.Q1K



HIGH POWER LED VERSION




SERGIO RANGE

LARGE SIZE



fumagalli since 1973

E27 HIGH POWER LED VERSION						
LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	CCT SETTABLE	COMPARISON	
	15W	1690 lm	100-240V 50/60 Hz	4000K/3000K	= SERGIO 100W INCANDESCENT	
	30W	3620 lm	100-240V 50/60 Hz	4000K/3000K	= SERGIO 70W HQI-SON	

DANILO/SERGIO


15W LED	CCT SET	T33.305.R1K
30W LED	CCT SET	T33.305.Q1K



Master box: **2pcs**

DINO/SERGIO


15W LED	CCT SET	T33.306.R1K
30W LED	CCT SET	T33.306.Q1K



Master box: **2pcs**

EMILIO/SERGIO

15W LED	CCT SET	T33.307.R1K
30W LED	CCT SET	T33.307.Q1K



Master box: **2pcs**

MADE IN ITALY

SERGIO RANGE



VANNI 2500/SERGIO

30W LED | CCT SET | T33.310.Q1K

IP55

HIGH POWER LED VERSION






VANNI 2500 IOLE/SERGIO 2L

30W LED | CCT SET | T33.310.E20.Q1K

HIGH POWER LED VERSION

IP55





GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

GLOBE 250 MODERN

SMALL SIZE

MADE IN ITALY



6,5W	8,5W		11W
800 lm	**920 lm**		**1200 lm**
2700 K	**2700 K**	**4000 K**	**6500 K**

More details at page 213

G26.240.E27

NEW

GREY COLOUR AVAILABLE

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION


GLOBE 250 MODERN

AVAILABLE COLORS						E27 CCT LED VERSION	E27 FILAMENT LED VERSION	E27 VERSION
RESIN BODY			DIFFUSER					
NEW COLOUR								
BLACK (A)	GREY (L)	WHITE (W)	CLEAR (X)	OPAL (Y)	SMOKED (Z)	8,5W 920 lm 100-240V 50/60 Hz 2700K/4000K/6500K CCT SET = 75W INCANDESCENT	6,5W 800 lm 100-240V 50/60 Hz 2700K = 60W INCANDESCENT	

NARDO/G250



6,5W FILAMENT	2700K	G26.240.F1R
8,5W	CCT SET	G26.240.V1K
E27		G26.240.E27




Master box: **36pcs**

DISMA/G250

6,5W FILAMENT	2700K	G26.114.F1R
8,5W	CCT SET	G26.114.V1K
E27		G26.114.E27







Master box: **36pcs**

SICAR/G250

6,5W FILAMENT	2700K	G26.125.F1R
8,5W	CCT SET	G26.125.V1K
E27		G26.125.E27





Master box: **36pcs**

GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

GLOBE 250 MODERN SMALL SIZE

fumagalli since 1973

AVAILABLE COLORS

RESIN BODY



DIFFUSER



E27 CCT LED VERSION



8,5W
920 lm
100-240V 50/60 Hz
2700K/4000K/6500K
= 75W INCANDESCENT

E27 FILAMENT LED VERSION




6,5W
800 lm
100-240V 50/60 Hz
2700K
= 60W INCANDESCENT

GIAFFA/G250 (resin)



6,5W FILAMENT	2700K	G26.242.F1R
8,5W	CCT SET	G26.242.V1K




Master box: **2pcs**

DANILO/G250



6,5W FILAMENT	2700K	G26.305.F1R
8,5W	CCT SET	G26.305.V1K




Master box: **2pcs**

DINO/G250



6,5W FILAMENT	2700K	G26.306.F1R
8,5W	CCT SET	G26.306.V1K



Master box: **2pcs**

MADE IN ITALY

GLOBE 250 MODERN




DINO NARDO/G250 2L



6,5W FILAMENT	2700K	G26.306.D20.F1R
8,5W	CCT SET	G26.306.D20.V1K

LED LAMP INCLUDED




Master box: ***2pcs***

DINO NARDO/G250 3L



6,5W FILAMENT	2700K	G26.306.D30.F1R
8,5W	CCT SET	G26.306.D30.V1K

LED LAMP INCLUDED



Master box: ***2pcs***

GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

GLOBE 300 MODERN

MEDIUM SIZE

MADE IN ITALY



6,5W	8,5W		11W
800 lm	**920 lm**		**1200 lm**
2700 K	**2700 K**	**4000 K**	**6500 K**

More details at page 213

NEW

GREY COLOUR AVAILABLE

G31.116.E27

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

GLOBE 300 MODERN

AVAILABLE COLORS		
RESIN BODY		DIFFUSER
BLACK (A)	GREY (L) NEW COLOUR	WHITE (W)
CLEAR (X)	OPAL (Y)	SMOKED (Z)

E27 CCT LED VERSION	
	11W
	1200 lm
	100-240V 50/60 Hz
	2700K/4000K/6500K
CCT SET	= 75W INCANDESCENT


E27 FILAMENT LED VERSION	
	6,5W
	800 lm
	100-240V 50/60 Hz
	2700K
	= 60W INCANDESCENT

E27 VERSION

NARDO/G300



6,5W FILAMENT	2700K	G31.240.F1R
11W	CCT SET	G31.240.T1K
E27		G31.240.E27




Master box: **24pcs**

MIDIDISMA/G300

6,5W FILAMENT	2700K	G31.116.F1R
11W	CCT SET	G31.116.T1K
E27		G31.116.E27






Master box: **24pcs**

SICAR/G300

6,5W FILAMENT	2700K	G31.125.F1R
11W	CCT SET	G31.125.T1K
E27		G31.125.E27





Master box: **24pcs**

GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

GLOBE 300 MODERN

MEDIUM SIZE


fumagalli since 1973

AVAILABLE COLORS

RESIN BODY



DIFFUSER



E27 CCT LED VERSION



8,5W
920 lm
100-240V 50/60 Hz
2700K/4000K/6500K
= 75W INCANDESCENT

E27 FILAMENT LED VERSION




6,5W
800 lm
100-240V 50/60 Hz
2700K
= 60W INCANDESCENT

GIAFFA/G300 (resin)



6,5W FILAMENT	2700K	G31.242.F1R
11W	CCT SET	G31.242.T1K



Master box: **2pcs**

DANILO/G300

6,5W FILAMENT	2700K	G31.305.F1R
11W	CCT SET	G31.305.T1K



Master box: **2pcs**

DINO/G300

6,5W FILAMENT	2700K	G31.306.F1R
11W	CCT SET	G31.306.T1K



Master box: **2pcs**

EMILIO/G300

6,5W FILAMENT	2700K	G31.307.F1R
11W	CCT SET	G31.307.T1K



Master box: **2pcs**

MADE IN ITALY

GLOBE 300 MODERN




EMILIO NARDO/G300 2L



6,5W 2700K G31.307.D20.F1R
FILAMENT

11W CCT SET G31.307.D20.T1K




Master box: ***2pcs***

EMILIO NARDO/G300 3L



6,5W 2700K G31.307.D30.F1R
FILAMENT

11W CCT SET G31.307.D30.T1K



Master box: ***2pcs***

GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

ANNA RANGE
SMALL SIZE

MADE IN ITALY



6,5W	8,5W		11W
800 lm	**920 lm**		**1200 lm**
2700 K	**2700 K**	**4000 K**	**6500 K**

More details at page 213

E22.110.V1K

NEW

C ETL US LISTED Intertek

U.V. UNTREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION


ANNA RANGE

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK **(A)**	CLEAR **(X)**
WHITE **(W)**	OPAL **(Y)**

E27 CCT LED VERSION	
	8,5W
	920 lm
	100-240V 50/60 Hz
	2700K/4000K/6500K
	= 60W INCANDESCENT

E27 FILAMENT LED VERSION	
	6,5W
	800 lm
	100-240V 50/60 Hz
	2700K
	= 60W INCANDESCENT


E27 VERSION



BISSO/ANNA

6,5W FILAMENT	2700K	E22.131.F1R
8,5W	CCT SET	E22.131.V1K
E27		E22.131.E27






Master box: **18pcs**

SICHEM/ANNA

6,5W FILAMENT	2700K	E22.120.F1R
8,5W	CCT SET	E22.120.V1K
E27		E22.120.E27






Master box: **18pcs**

MIKROLOT/ANNA

6,5W FILAMENT	2700K	E22.110.F1R
8,5W	CCT SET	E22.110.V1K
E27		E22.110.E27






Master box: **18pcs**

MIZAR/ANNA (resin)

6,5W FILAMENT	2700K	E22.151.F1R
8,5W	CCT SET	E22.151.V1K
E27		E22.151.E27





GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

ANNA RANGE

SMALL SIZE

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK **(A)** WHITE **(W)**	CLEAR **(X)** OPAL **(Y)**

E27 CCT LED VERSION	
	8,5W
	920 lm
	100-240V 50/60 Hz
	2700K/4000K/6500K
	= 60W INCANDESCENT

E27 FILAMENT LED VERSION	
	6,5W
	800 lm
	100-240V 50/60 Hz
	2700K
	= 60W INCANDESCENT


ALOE'.R/ANNA (resin)

6,5W FILAMENT	2700K	E22.163.F1R
8,5W	CCT SET	E22.163.V1K

IP55

LED LAMP INCLUDED





ARTU'/ANNA

6,5W FILAMENT	2700K	E22.158.F1R
8,5W	CCT SET	E22.158.V1K

IP55

LED LAMP INCLUDED






ANNA RANGE



GIGI BISSO/ANNA 2L


6,5W FILAMENT	2700K	E22.156.S20.F1R
8,5W	CCT SET	E22.156.S20.V1K






GIGI BISSO/ANNA 3L

6,5W FILAMENT	2700K	E22.156.S30.F1R
8,5W	CCT SET	E22.156.S30.V1K





GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

SABA RANGE
SMALL SIZE

fumagalli since 1973

MADE IN ITALY



6,5W	8,5W		11W
800 lm	**920 lm**		**1200 lm**
2700 K	**2700 K**	**4000 K**	**6500 K**

More details at page 213

K22.131.F1R

NEW

C ETL LISTED US
Intertek

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK **(A)** WHITE **(W)**	CLEAR **(X)** OPAL **(Y)**



E27 CCT LED VERSION
8,5W
920 lm
100-240V 50/60 Hz
2700K/4000K/6500K
= 60W INCANDESCENT



E27 FILAMENT LED VERSION
6,5W
800 lm
100-240V 50/60 Hz
2700K
= 60W INCANDESCENT




E27 VERSION

BISSO/SABA

6,5W FILAMENT	2700K	K22.131.F1R
8,5W	CCT SET	K22.131.V1K
E27		K22.131.E27






Master box: **18pcs**

SICHEM/SABA

6,5W FILAMENT	2700K	K22.120.F1R
8,5W	CCT SET	K22.120.V1K
E27		K22.120.E27






Master box: **18pcs**

MIKROLOT/SABA

6,5W FILAMENT	2700K	K22.110.F1R
8,5W	CCT SET	K22.110.V1K
E27		K22.110.E27






Master box: **18pcs**

MIZAR/SABA (resin)

6,5W FILAMENT	2700K	K22.151.F1R
8,5W	CCT SET	K22.151.V1K
E27		K22.151.E27





GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

SABA RANGE

SMALL SIZE

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK **(A)** WHITE **(W)**	CLEAR **(X)** OPAL **(Y)**

E27 CCT LED VERSION	
	8,5W
	920 lm
	100-240V 50/60 Hz
	2700K/4000K/6500K
	= 60W INCANDESCENT

E27 FILAMENT LED VERSION	
	6,5W
	800 lm
	100-240V 50/60 Hz
	2700K
	= 60W INCANDESCENT


ALOE'.R/SABA (resin)



IP55

6,5W FILAMENT	2700K	K22.163.F1R
8,5W	CCT SET	K22.163.V1K

LED LAMP INCLUDED



ARTU'/SABA



IP55

6,5W FILAMENT	2700K	K22.158.F1R
8,5W	CCT SET	K22.158.V1K

LED LAMP INCLUDED




MADE IN ITALY



GIGI BISSO/SABA 2L

6,5W FILAMENT	2700K	K22.156.S20.F1R
8,5W	CCT SET	K22.156.S20.V1K






GIGI BISSO/SABA 3L

6,5W FILAMENT	2700K	K22.156.S30.F1R
8,5W	CCT SET	K22.156.S30.V1K





GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

MARY RANGE
SMALL SIZE

MADE IN ITALY



6,5W	8,5W		11W
800 lm	**920 lm**		**1200 lm**
2700 K	**2700 K**	**4000 K**	**6500 K**

More details at page 213

Q18.110.F1R

NEW

SCAN ME!
Discover the collection

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK **(A)** WHITE **(W)**	CLEAR **(X)** OPAL **(Y)**

E27 CCT LED VERSION	
	8,5W 920 lm 100-240V 50/60 Hz 2700K/4000K/6500K = 60W INCANDESCENT

E27 FILAMENT LED VERSION	
	6,5W 800 lm 100-240V 50/60 Hz 2700K = 60W INCANDESCENT


E27 VERSION



BISSO/MARY

6,5W FILAMENT	2700K	Q18.131.F1R
8,5W	CCT SET	Q18.131.V1K
E27		Q18.131.E27





Master box: **18pcs**

SICHEM/MARY

6,5W FILAMENT	2700K	Q18.120.F1R
8,5W	CCT SET	Q18.120.V1K
E27		Q18.120.E27





Master box: **18pcs**

MIKROLOT/MARY

6,5W FILAMENT	2700K	Q18.110.F1R
8,5W	CCT SET	Q18.110.V1K
E27		Q18.110.E27






Master box: **18pcs**

MIZAR/MARY (resin)

6,5W FILAMENT	2700K	Q18.151.F1R
8,5W	CCT SET	Q18.151.V1K
E27		Q18.151.E27





GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

MARY RANGE

SMALL SIZE

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK **(A)** WHITE **(W)**	CLEAR **(X)** OPAL **(Y)**


E27 CCT LED VERSION	
	8,5W
	920 lm
	100-240V 50/60 Hz
	2700K/4000K/6500K
	= 60W INCANDESCENT

E27 FILAMENT LED VERSION	
	6,5W
	800 lm
	100-240V 50/60 Hz
	2700K
	= 60W INCANDESCENT

ARTU'BISSO/MARY 2L

6,5W FILAMENT	2700K	Q18.158.S20.F1R
8,5W	CCT SET	Q18.158.S20.V1K






ARTU'BISSO/MARY 3L

6,5W FILAMENT	2700K	Q18.158.S30.F1R
8,5W	CCT SET	Q18.158.S30.V1K








GIGI BISSO/MARY 2L

6,5W FILAMENT	2700K	Q18.156.S20.F1R
8,5W	CCT SET	Q18.156.S20.V1K

IP55

LED LAMP INCLUDED






GIGI BISSO/MARY 3L

6,5W FILAMENT	2700K	Q18.156.S30.F1R
8,5W	CCT SET	Q18.156.S30.V1K

IP55

LED LAMP INCLUDED





GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

GLOBE 250 CLASSIC

SMALL SIZE

fumagalli since 1973

MADE IN ITALY



6,5W	8,5W		11W
800 lm	**920 lm**		**1200 lm**
2700 K	**2700 K**	**4000 K**	**6500 K**

More details at page 213

G25.131.F1R

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

GLOBE 250 CLASSIC


AVAILABLE COLORS				
RESIN BODY		DIFFUSER		
				
BLACK **(A)**	WHITE **(W)**	CLEAR **(X)**	OPAL **(Y)**	SMOKED **(Z)**

E27 CCT LED VERSION	
	8,5W
	920 lm
	100-240V 50/60 Hz
	2700K/4000K/6500K
	= 60W INCANDESCENT


E27 FILAMENT LED VERSION	
	6,5W
	800 lm
	100-240V 50/60 Hz
	2700K
	= 60W INCANDESCENT

E27 VERSION


BISSO/G250



6,5W FILAMENT	2700K	G25.131.F1R
8,5W	CCT SET	G25.131.V1K
E27		G25.131.E27




Master box: **36pcs**

MIKROLOT/G250

6,5W FILAMENT	2700K	G25.110.F1R
8,5W	CCT SET	G25.110.V1K
E27		G25.110.E27






Master box: **36pcs**

SICHEM/G250

6,5W FILAMENT	2700K	G25.120.F1R
8,5W	CCT SET	G25.120.V1K
E27		G25.120.E27





Master box: **36pcs**

GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

GLOBE 250 CLASSIC SMALL SIZE

fumagalli since 1973

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK **(A)** WHITE **(W)**	CLEAR **(X)** OPAL **(Y)** SMOKED **(Z)**

E27 CCT LED VERSION



8,5W
920 lm
100-240V 50/60 Hz
2700K/4000K/6500K
= 60W INCANDESCENT

E27 FILAMENT LED VERSION




6,5W
800 lm
100-240V 50/60 Hz
2700K
= 60W INCANDESCENT

MIZAR/G250 (resin)



6,5W FILAMENT	2700K	G25.151.F1R
8,5W	CCT SET	G25.151.V1K




Master box: ***2pcs***

ALOE'.R/G250 (resin)



6,5W FILAMENT	2700K	G25.163.F1R
8,5W	CCT SET	G25.163.V1K



Master box: ***2pcs***

ARTU'/G250



6,5W FILAMENT	2700K	G25.158.F1R
8,5W	CCT SET	G25.158.V1K



Master box: ***2pcs***

MADE IN ITALY


GLOBE 250 CLASSIC



GIGI BISSO/G250 2L

6,5W FILAMENT	2700K	G25.156.S20.F1R
8,5W		G25.156.S20.V1K






Master box: **2pcs**

GIGI BISSO/G250 3L

6,5W FILAMENT	2700K	G25.156.S30.F1R
8,5W	CCT SET	G25.156.S30.V1K





Master box: **2pcs**

GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

RUT RANGE
MEDIUM SIZE

fumagalli since 1973

MADE IN ITALY



More details at page 213

E26.157.S30.F1R

NEW

ETL LISTED c US Intertek

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

RUT RANGE

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK **(A)**	CLEAR **(X)**
WHITE **(W)**	OPAL **(Y)**



E27 CCT LED VERSION
11W
1200 lm
100-240V 50/60 Hz
2700K/4000K/6500K
= 75W INCANDESCENT



E27 FILAMENT LED VERSION
6,5W
800 lm
100-240V 50/60 Hz
2700K
= 60W INCANDESCENT




E27 VERSION

BISSO/RUT

6,5W FILAMENT	2700K	E26.131.F1R
11W	CCT SET	E26.131.T1K
E27		E26.131.E27






Master box: ***12pcs***

SICHEM/RUT

6,5W FILAMENT	2700K	E26.120.F1R
11W	CCT SET	E26.120.T1K
E27		E26.120.E27






Master box: ***12pcs***

MINILOT/RUT

6,5W FILAMENT	2700K	E26.111.F1R
11W	CCT SET	E26.111.T1K
E27		E26.111.E27






Master box: ***12pcs***

MIZAR/RUT (resin)

6,5W FILAMENT	2700K	E26.151.F1R
11W	CCT SET	E26.151.T1K
E27		E26.151.E27





GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

RUT RANGE

MEDIUM SIZE

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK **(A)** WHITE **(W)**	CLEAR **(X)** OPAL **(Y)**


E27 CCT LED VERSION		
8,5W		11W
920 lm		1200 lm
100-240V 50/60 Hz		100-240V 50/60 Hz
2700K/4000K/6500K		2700K/4000K/6500K
= 60W INCANDESCENT		= 75W INCANDESCENT

E27 FILAMENT LED VERSION	
	6,5W
	800 lm
	100-240V 50/60 Hz
	2700K
	= 60W INCANDESCENT

ALOE'.R/RUT (resin)



6,5W FILAMENT	2700K	E26.163.F1R
8,5W	CCT SET	E26.163.V1K
11W	CCT SET	E26.163.T1K




ARTU'/RUT




6,5W FILAMENT	2700K	E26.158.F1R
8,5W	CCT SET	E26.158.V1K
11W	CCT SET	E26.158.T1K




GIGI/RUT




6,5W FILAMENT	2700K	E26.156.F1R
8,5W	CCT SET	E26.156.V1K
11W	CCT SET	E26.156.T1K



RICU/RUT



6,5W FILAMENT	2700K	E26.157.F1R
8,5W	CCT SET	E26.157.V1K
11W	CCT SET	E26.157.T1K



MADE IN ITALY


RUT RANGE



RICU BISSO/RUT 2L

6,5W FILAMENT	2700K	E26.157.S20.F1R
8,5W	CCT SET	E26.157.S20.V1K
11W	CCT SET	E26.157.S20.T1K






RICU BISSO/RUT 3L

6,5W FILAMENT	2700K	E26.157.S30.F1R
8,5W	CCT SET	E26.157.S30.V1K
11W	CCT SET	E26.157.S30.T1K





SALEM RANGE
MEDIUM SIZE

MADE IN ITALY



6,5W	8,5W		11W
800 lm	**920 lm**		**1200 lm**
2700 K	**2700 K**	**4000 K**	**6500 K**

More details at page 213

K26.111.F1R

NEW

C ETL US LISTED Intertek

U.V. CE CB IECEE CB SCHEME IP55 CLASS II

SALEM RANGE

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK **(A)** WHITE **(W)**	CLEAR **(X)** OPAL **(Y)**

E27 CCT LED VERSION	
	11W
	1200 lm
	100-240V 50/60 Hz
	2700K/4000K/6500K
CCT SET	= 75W INCANDESCENT


E27 FILAMENT LED VERSION	
	6,5W
	800 lm
	100-240V 50/60 Hz
	2700K
	= 60W INCANDESCENT

E27 VERSION

BISSO/SALEM

6,5W FILAMENT	2700K	E26.131.F1R
11W	CCT SET	E26.131.T1K
E27		E26.131.E27






Master box: ***12pcs***

SICHEM/SALEM

6,5W FILAMENT	2700K	E26.120.F1R
11W	CCT SET	E26.120.T1K
E27		E26.120.E27





Master box: ***12pcs***

MINILOT/SALEM

6,5W FILAMENT	2700K	E26.111.F1R
11W	CCT SET	E26.111.T1K
E27		E26.111.E27






Master box: ***12pcs***

MIZAR/SALEM (resin)

6,5W FILAMENT	2700K	E26.151.F1R
11W	CCT SET	E26.151.T1K
E27		E26.151.E27





GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

SALEM RANGE

MEDIUM SIZE

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK **(A)** WHITE **(W)**	CLEAR **(X)** OPAL **(Y)**

E27 CCT LED VERSION		
8,5W		11W
920 lm		1200 lm
100-240V 50/60 Hz		100-240V 50/60 Hz
2700K/4000K/6500K		2700K/4000K/6500K
= 60W INCANDESCENT		= 75W INCANDESCENT


E27 FILAMENT LED VERSION	
	6,5W
	800 lm
	100-240V 50/60 Hz
	2700K
	= 60W INCANDESCENT

ALOE'.R/SALEM (resin)



6,5W FILAMENT	2700K	K26.163.F1R
8,5W	CCT SET	K26.163.V1K
11W	CCT SET	K26.163.T1K

LED LAMP INCLUDED



ARTU'/SALEM



6,5W FILAMENT	2700K	K26.158.F1R
8,5W	CCT SET	K26.158.V1K
11W	CCT SET	K26.158.T1K

LED LAMP INCLUDED



GIGI/SALEM




6,5W FILAMENT	2700K	K26.156.F1R
8,5W	CCT SET	K26.156.V1K
11W	CCT SET	K26.156.T1K

LED LAMP INCLUDED



RICU/SALEM



6,5W FILAMENT	2700K	K26.157.F1R
8,5W	CCT SET	K26.157.V1K
11W	CCT SET	K26.157.T1K

LED LAMP INCLUDED



MADE IN ITALY


SALEM RANGE



RICU BISSO/SALEM 2L

6,5W FILAMENT	2700K	K26.157.S20.F1R
8,5W	CCT SET	K26.157.S20.V1K
11W	CCT SET	K26.157.S20.T1K






RICU BISSO/SALEM 3L

6,5W FILAMENT	2700K	K26.157.S30.F1R
8,5W	CCT SET	K26.157.S30.V1K
11W	CCT SET	K26.157.S30.T1K





GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

GOLIA RANGE
MEDIUM SIZE

fumagalli since 1973

MADE IN ITALY



6,5W	8,5W		11W
800 lm	**920 lm**		**1200 lm**
2700 K	**2700 K**	**4000 K**	**6500 K**

More details at page 213

Q23.131.F1R



NEW

ETL LISTED c US Intertek

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK **(A)** WHITE **(W)**	CLEAR **(X)** OPAL **(Y)**



E27 CCT LED VERSION

8,5W
920 lm
100-240V
50/60 Hz
2700K/4000K/6500K
CCT SET
= 60W INCANDESCENT



E27 FILAMENT LED VERSION

6,5W
800 lm
100-240V
50/60 Hz
2700K
= 60W INCANDESCENT



E27 VERSION

BISSO/GOLIA

6,5W FILAMENT	2700K	Q23.131.F1R
8,5W	CCT SET	Q23.131.V1K
E27		Q23.131.E27






Master box: ***12pcs***

SICHEM/GOLIA

6,5W FILAMENT	2700K	Q23.120.F1R
8,5W	CCT SET	Q23.120.V1K
E27		Q23.120.E27





Master box: ***12pcs***

MINILOT/GOLIA

6,5W FILAMENT	2700K	Q23.111.F1R
8,5W	CCT SET	Q23.111.V1K
E27		Q23.111.E27






Master box: ***12pcs***

MIZAR/GOLIA (resin)

6,5W FILAMENT	2700K	Q23.151.F1R
8,5W	CCT SET	Q23.151.V1K
E27		Q23.151.E27





GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

GOLIA RANGE

MEDIUM SIZE

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK **(A)** WHITE **(W)**	CLEAR **(X)** OPAL **(Y)**

E27 CCT LED VERSION	
	8,5W
	920 lm
	100-240V 50/60 Hz
	2700K/4000K/6500K
	= 60W INCANDESCENT

E27 FILAMENT LED VERSION	
	6,5W
	800 lm
	100-240V 50/60 Hz
	2700K
	= 60W INCANDESCENT

ALOE'.R/GOLIA (resin)




IP55

6,5W 2700K FILAMENT Q23.163.F1R

8,5W CCT SET Q23.163.V1K

LED LAMP INCLUDED



ARTU'/GOLIA



IP55

6,5W 2700K FILAMENT Q23.158.F1R

8,5W CCT SET Q23.158.V1K

LED LAMP INCLUDED



GIGI/GOLIA




IP55

6,5W 2700K FILAMENT Q23.156.F1R

8,5W CCT SET Q23.156.V1K

LED LAMP INCLUDED



RICU/GOLIA




IP55

6,5W 2700K FILAMENT Q23.157.F1R

8,5W CCT SET Q23.157.V1K

LED LAMP INCLUDED



MADE IN ITALY


GOLIA RANGE



RICU BISSO/GOLIA 2L

6,5W FILAMENT	2700K	Q23.157.S20.F1R
8,5W	CCT SET	Q23.157.S20.V1K






RICU BISSO/GOLIA 3L

6,5W FILAMENT	2700K	Q23.157.S30.F1R
8,5W	CCT SET	Q23.157.S30.V1K





GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

CEFA RANGE
MEDIUM SIZE

fumagalli since 1973

MADE IN ITALY



6,5W	8,5W		11W
800 lm	**920 lm**		**1200 lm**
2700 K	**2700 K**	**4000 K**	**6500 K**

More details at page 213

U23.131.F1R

NEW

C ETL LISTED US
Intertek

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

CEFA RANGE

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK **(A)**	CLEAR **(X)**
WHITE **(W)**	OPAL **(Y)**

E27 CCT LED VERSION	
	8,5W
	920 lm
	100-240V 50/60 Hz
	2700K/4000K/6500K
CCT SET	= 60W INCANDESCENT


E27 FILAMENT LED VERSION	
	6,5W
	800 lm
	100-240V 50/60 Hz
	2700K
	= 60W INCANDESCENT

E27 VERSION

BISSO/CEFA

6,5W FILAMENT	2700K	U23.131.F1R
8,5W	CCT SET	U23.131.V1K
E27		U23.131.E27





Master box: **12pcs**

SICHEM/CEFA

6,5W FILAMENT	2700K	U23.120.F1R
8,5W	CCT SET	U23.120.V1K
E27		U23.120.E27





Master box: **12pcs**

MINILOT/CEFA

6,5W FILAMENT	2700K	U23.111.F1R
8,5W	CCT SET	U23.111.V1K
E27		U23.111.E27






Master box: **12pcs**

MIZAR/CEFA (resin)

6,5W FILAMENT	2700K	U23.151.F1R
8,5W	CCT SET	U23.151.V1K
E27		U23.151.E27





GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

CEFA RANGE

MEDIUM SIZE

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK **(A)** WHITE **(W)**	CLEAR **(X)** OPAL **(Y)**

E27 CCT LED VERSION	
	8,5W
	920 lm
	100-240V 50/60 Hz
	2700K/4000K/6500K
	= 60W INCANDESCENT

E27 FILAMENT LED VERSION	
	6,5W
	800 lm
	100-240V 50/60 Hz
	2700K
	= 60W INCANDESCENT


ALOE'.R/CEFA (resin)

IP55



6,5W	2700K FILAMENT	U23.163.F1R
8,5W	CCT SET	U23.163.V1K

LED LAMP INCLUDED



ARTU'/CEFA

IP55



6,5W	2700K FILAMENT	U23.158.F1R
8,5W	CCT SET	U23.158.V1K

LED LAMP INCLUDED




GIGI/CEFA

IP55



6,5W	2700K FILAMENT	U23.156.F1R
8,5W	CCT SET	U23.156.V1K

LED LAMP INCLUDED




RICU/CEFA

IP55



6,5W	2700K FILAMENT	U23.157.F1R
8,5W	CCT SET	U23.157.V1K

LED LAMP INCLUDED



MADE IN ITALY


CEFA RANGE



RICU BISSO/CEFA 2L

6,5W FILAMENT	2700K	U23.157.S20.F1R
8,5W	CCT SET	U23.157.S20.V1K






RICU BISSO/CEFA 3L

6,5W FILAMENT	2700K	U23.157.S30.F1R
8,5W	CCT SET	U23.157.S30.V1K





GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

GLOBE 300 CLASSIC

MEDIUM SIZE

fumagalli since 1973

MADE IN ITALY



6,5W	8,5W		11W
800 lm	**920 lm**		**1200 lm**
2700 K	**2700 K**	**4000 K**	**6500 K**

More details at page 213

G30.111.E27

G30.162.V1K

U.V. UV TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION


AVAILABLE COLORS				
RESIN BODY		DIFFUSER		
				
BLACK **(A)**	WHITE **(W)**	CLEAR **(X)**	OPAL **(Y)**	SMOKED **(Z)**

E27 CCT LED VERSION	E27 FILAMENT LED VERSION	E27 VERSION
		
11W	6,5W	
1200 lm	800 lm	
100-240V 50/60 Hz	100-240V 50/60 Hz	
2700K/4000K/6500K	2700K	
= 75W INCANDESCENT	= 60W INCANDESCENT	

BISSO/G300




6,5W FILAMENT	2700K	G30.131.F1R
11W	CCT SET	G30.131.T1K
E27		G30.131.E27




Master box: ***24pcs***

MINILOT/G300

6,5W FILAMENT	2700K	G30.111.F1R
11W	CCT SET	G30.111.T1K
E27		G30.111.E27






Master box: ***24pcs***

SICHEM/G300

6,5W FILAMENT	2700K	G30.120.F1R
11W	CCT SET	G30.120.T1K
E27		G30.120.E27





Master box: ***24pcs***

GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

GLOBE 300 CLASSIC MEDIUM SIZE

fumagalli since 1973

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK **(A)** WHITE **(W)**	CLEAR **(X)** OPAL **(Y)** SMOKED **(Z)**


E27 CCT LED VERSION		
8,5W		11W
920 lm		1200 lm
100-240V 50/60 Hz		100-240V 50/60 Hz
2700K/4000K/6500K		2700K/4000K/6500K
= 60W INCANDESCENT		= 75W INCANDESCENT

E27 FILAMENT LED VERSION	
6,5WW	
800 lm	
100-240V 50/60 Hz	
2700K	
= 60W INCANDESCENT	

IAFET.R/G300 (resin)



6,5W FILAMENT	2700K	G30.162.F1R
8,5W	CCT SET	G30.162.V1K
11W	CCT SET	G30.162.T1K




Master box: ***2pcs***

RICU BISSO/G300 2L



6,5W FILAMENT	2700K	G30.157.S20.F1R
8,5W	CCT SET	G30.157.S20.V1K
11W	CCT SET	G30.157.S20.T1K




Master box: ***2pcs***

RICU BISSO/G300 3L



6,5W FILAMENT	2700K	G30.157.S30.F1R
8,5W	CCT SET	G30.157.S30.V1K
11W	CCT SET	G30.157.S30.T1K



Master box: ***2pcs***



ALOE'.R/G300 (resin)



6,5W 2700K FILAMENT		G30.163.F1R
8,5W	CCT SET	G30.163.V1K
11W	CCT SET	G30.163.T1K



Master box: **2pcs**

ARTU'/G300




6,5W 2700K FILAMENT		G30.158.F1R
8,5W	CCT SET	G30.158.V1K
11W	CCT SET	G30.158.T1K




Master box: **2pcs**

GIGI/G300



6,5W 2700K FILAMENT		G30.156.F1R
8,5W	CCT SET	G30.156.V1K
11W	CCT SET	G30.156.T1K




Master box: **2pcs**

RICU/G300



6,5W 2700K FILAMENT		G30.157.F1R
8,5W	CCT SET	G30.157.V1K
11W	CCT SET	G30.157.T1K



Master box: **2pcs**

GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

NOEMI RANGE
LARGE SIZE

MADE IN ITALY

E27 HIGH POWER LED

INDOOR & OUTDOOR USE

+80°C
-30°

90% HUMIDITY

VOLTAGE SURGE RESISTANT

15W (1690 lm)
30W (3620 lm)
50W (6550 lm)

More details at page 216



HIGH POWER LED VERSION

E35.132.Q1K

NEW

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK **(A)** WHITE **(W)**	CLEAR **(X)** OPAL **(Y)**



E27 HIGH POWER LED VERSION	
15W	30W
1690 lm	3620 lm
100-240V 50/60 Hz	**100-240V** 50/60 Hz
4000K/3000K	4000K/3000K
= NOEMI 100W INCANDESCENT	= NOEMI 70W HQI-SON

OFIR/NOEMI



15W LED	CCT SET	E35.132.R1K
30W LED	CCT SET	E35.132.Q1K

HIGH POWER LED VERSION



LOT/NOEMI

15W LED	CCT SET	E35.113.R1K
30W LED	CCT SET	E35.113.Q1K



HIGH POWER LED VERSION




SICHEM/NOEMI

15W LED	CCT SET	E35.121.R1K
30W LED	CCT SET	E35.121.Q1K




HIGH POWER LED VERSION



NOEMI RANGE

LARGE SIZE

E27 HIGH POWER LED VERSION


LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	CCT SETTABLE	COMPARISON
E27 HIGH POWER LED 	15W	1690 lm	100-240V 50/60 Hz	4000K/3000K	= NOEMI 100W INCANDESCENT
	30W	3620 lm	100-240V 50/60 Hz	4000K/3000K	= NOEMI 70W HQI-SON



IAFET.R/NOEMI (resin)



15W LED	CCT SET	E35.162.R1K
30W LED	CCT SET	E35.162.Q1K



HIGH POWER LED VERSION

Master box: ***2pcs***



ARTU'/NOEMI

15W LED	CCT SET	E35.158.R1K
30W LED	CCT SET	E35.158.Q1K

HIGH POWER LED VERSION




Master box: ***2pcs***

GIGI/NOEMI

15W LED	CCT SET	E35.156.R1K
30W LED	CCT SET	E35.156.Q1K


HIGH POWER LED VERSION



Master box: ***2pcs***

RICU/NOEMI

15W LED	CCT SET	E35.157.R1K
30W LED	CCT SET	E35.157.Q1K



Master box: ***2pcs***

MADE IN ITALY

NOEMI RANGE




NEBO/NOEMI

30W LED | CCT SET | E35.201.Q1K

IP55




HIGH POWER LED VERSION



NEBO OFIR/NOEMI 2L

30W LED | CCT SET | E35.201.R20.Q1K

HIGH POWER LED VERSION



IP55



GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

SILOE RANGE
LARGE SIZE

fumagalli since 1973

MADE IN ITALY

HIGH POWER LED VERSION



K35.132.Q1K

E27 HIGH POWER LED

INDOOR & OUTDOOR USE

+80°C
-30°

90% HUMIDITY

VOLTAGE SURGE RESISTANT

15W (1690 lm)
30W (3620 lm)
50W (6550 lm)

More details at page 216

NEW

ETL LISTED c US Intertek

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION


SILOE RANGE

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK **(A)** WHITE **(W)**	CLEAR **(X)** OPAL **(Y)**




E27 HIGH POWER LED VERSION	
15W	30W
1690 lm	3620 lm
100-240V 50/60 Hz	**100-240V** 50/60 Hz
4000K/3000K	4000K/3000K
= SILOE 100W INCANDESCENT	= SILOE 70W HQI-SON

OFIR/SILOE




15W LED	CCT SET	K35.132.R1K
30W LED	CCT SET	K35.132.Q1K

HIGH POWER LED VERSION




LOT/SILOE

15W LED	CCT SET	K35.113.R1K
30W LED	CCT SET	K35.113.Q1K




HIGH POWER LED VERSION




SICHEM/SILOE

15W LED	CCT SET	K35.121.R1K
30W LED	CCT SET	K35.121.Q1K




HIGH POWER LED VERSION



SILOE RANGE


LARGE SIZE

E27 HIGH POWER LED VERSION						
LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	CCT SETTABLE	COMPARISON	
E27 HIGH POWER LED 	15W	1690 lm	100-240V 50/60 Hz	4000K/3000K	= SILOE 100W INCANDESCENT	
	30W	3620 lm	100-240V 50/60 Hz	4000K/3000K	= SILOE 70W HQI-SON	

IAFET.R/SILOE (resin)



15W LED	CCT SET	K35.162.R1K
30W LED	CCT SET	K35.162.Q1K




HIGH POWER LED VERSION

Master box: **2pcs**




ARTU'/SILOE			GIGI/SILOE			RICU/SILOE		
15W LED	CCT SET	K35.158.R1K	15W LED	CCT SET	K35.156.R1K	15W LED	CCT SET	K35.157.R1K
30W LED	CCT SET	K35.158.Q1K	30W LED	CCT SET	K35.156.Q1K	30W LED	CCT SET	K35.157.Q1K

HIGH POWER LED VERSION



Master box: **2pcs**

HIGH POWER LED VERSION



Master box: **2pcs**



Master box: **2pcs**




NEBO/SILOE

30W LED | CCT SET | K35.201.Q1K

IP55

HIGH POWER LED VERSION






NEBO OFIR/SILOE 2L

30W LED | CCT SET | K35.201.R20.Q1K

HIGH POWER LED VERSION



IP55



GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

TOBIA RANGE
LARGE SIZE

fumagalli since 1973

MADE IN ITALY

HIGH POWER LED VERSION

E27 HIGH POWER LED

INDOOR & OUTDOOR USE

+80°C
-30°

90% HUMIDITY

VOLTAGE SURGE RESISTANT

15W (1690 lm)
30W (3620 lm)
50W (6550 lm)

More details at page 216

Q33.113.Q1K

NEW

ETL LISTED c US Intertek

U.V. UV TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK **(A)** WHITE **(W)**	CLEAR **(X)** OPAL **(Y)**




E27 HIGH POWER LED VERSION	
15W	30W
1690 lm	3620 lm
100-240V 50/60 Hz	**100-240V** 50/60 Hz
4000K/3000K	4000K/3000K
= TOBIA 100W INCANDESCENT	= TOBIA 70W HQI-SON

OFIR/TOBIA



15W LED	CCT SET	Q33.132.R1K
30W LED	CCT SET	Q33.132.Q1K

HIGH POWER LED VERSION




LOT/TOBIA

15W LED	CCT SET	Q33.113.R1K
30W LED	CCT SET	Q33.113.Q1K



HIGH POWER LED VERSION




SICHEM/TOBIA

15W LED	CCT SET	Q33.121.R1K
30W LED	CCT SET	Q33.121.Q1K



HIGH POWER LED VERSION




GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

TOBIA RANGE

LARGE SIZE

E27 HIGH POWER LED VERSION

LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	CCT SETTABLE	COMPARISON
E27 HIGH POWER LED 	15W	1690 lm	100-240V 50/60 Hz	4000K/3000K	= TOBIA 100W INCANDESCENT
	30W	3620 lm	100-240V 50/60 Hz	4000K/3000K	= TOBIA 70W HQI-SON




IAFET.R/TOBIA (resin)




15W LED	CCT SET	Q33.162.R1K
30W LED	CCT SET	Q33.162.Q1K

HIGH POWER LED VERSION




Master box: ***2pcs***



ARTU'/TOBIA

15W LED	CCT SET	Q33.158.R1K
30W LED	CCT SET	Q33.158.Q1K

HIGH POWER LED VERSION




Master box: ***2pcs***

GIGI/TOBIA

15W LED	CCT SET	Q33.156.R1K
30W LED	CCT SET	Q33.156.Q1K


HIGH POWER LED VERSION



Master box: ***2pcs***

RICU/TOBIA

15W LED	CCT SET	Q33.157.R1K
30W LED	CCT SET	Q33.157.Q1K



Master box: ***2pcs***

MADE IN ITALY

TOBIA RANGE




NEBO/TOBIA

30W LED | CCT SET | Q33.201.Q1K

IP55

HIGH POWER LED VERSION






NEBO OFIR/TOBIA 2L

30W LED | CCT SET | Q33.201.R20.Q1K

HIGH POWER LED VERSION



IP55



GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

SIMON RANGE
LARGE SIZE

fumagalli since 1973

MADE IN ITALY

HIGH POWER LED VERSION

U33.132.Q1K



E27 HIGH POWER LED

INDOOR & OUTDOOR USE

+80°C -30°

90% HUMIDITY

VOLTAGE SURGE RESISTANT

15W (1690 lm)
30W (3620 lm)
50W (6550 lm)

More details at page 216

NEW

ETL LISTED c US Intertek

U.V. UV TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK **(A)** WHITE **(W)**	CLEAR **(X)** OPAL **(Y)**




E27 HIGH POWER LED VERSION	
15W	30W
1690 lm	3620 lm
100-240V 50/60 Hz	**100-240V** 50/60 Hz
4000K/3000K	4000K/3000K
= SIMON 100W INCANDESCENT	= SIMON 70W HQI-SON

OFIR/SIMON



15W LED	CCT SET	U33.132.R1K
30W LED	CCT SET	U33.132.Q1K

HIGH POWER LED VERSION




LOT/SIMON

15W LED	CCT SET	U33.113.R1K
30W LED	CCT SET	U33.113.Q1K



HIGH POWER LED VERSION




SICHEM/SIMON

15W LED	CCT SET	U33.121.R1K
30W LED	CCT SET	U33.121.Q1K



HIGH POWER LED VERSION



SIMON RANGE

LARGE SIZE

E27 HIGH POWER LED VERSION


LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	CCT SETTABLE	COMPARISON
E27 HIGH POWER LED Ø 100	15W	1690 lm	100-240V 50/60 Hz	4000K/3000K	= SIMON 100W INCANDESCENT
	30W	3620 lm	100-240V 50/60 Hz	4000K/3000K	= SIMON 70W HQI-SON



IAFET.R/SIMON (resin)




15W LED	CCT SET	U33.162.R1K
30W LED	CCT SET	U33.162.Q1K



HIGH POWER LED VERSION


Master box: ***2pcs***



ARTU'/SIMON

15W LED	CCT SET	U33.158.R1K
30W LED	CCT SET	U33.158.Q1K

HIGH POWER LED VERSION




Master box: ***2pcs***

GIGI/SIMON

15W LED	CCT SET	U33.156.R1K
30W LED	CCT SET	U33.156.Q1K


HIGH POWER LED VERSION



Master box: ***2pcs***

RICU/SIMON

15W LED	CCT SET	U33.157.R1K
30W LED	CCT SET	U33.157.Q1K



Master box: ***2pcs***

MADE IN ITALY




NEBO/SIMON

30W LED | CCT SET | U33.201.Q1K

IP55

HIGH POWER LED VERSION







NEBO OFIR/SIMON 2L

30W LED | CCT SET | U33.201.R20.Q1K

HIGH POWER LED VERSION



IP55



GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

BRUNO DUO

BOLLARD

fumagalli since 1973



BRUNO DUO E27

AVAILABLE COLORS


RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK **(A)**	GREY **(L)**	WHITE **(W)**	CLEAR **(X)**



BRUNO DUO 1000

E27 DB2.555.E27






BRUNO DUO 700

E27 DB2.554.E27






BRUNO DUO 400

E27 DB2.553.E27






BRUNO DUO WALL

E27 DB2.505.E27





GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

BRUNO
BOLLARD

fumagalli since 1973



AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)	DIFFUSER
BLACK **(A)**, GREY **(L)**, WHITE **(W)**	OPAL **(Y)**




BRUNO 1000

E27 DB1.555.E27



NEW




BRUNO 700

E27 DB1.554.E27



NEW




BRUNO 400

E27 DB1.553.E27



NEW




BRUNO WALL

E27 DB1.505.E27



NEW



GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

SAURO
BOLLARD

fumagalli since 1973

MADE IN ITALY

D15.554.D1KCRB

CCT SETTABLE
3000 K 4000 K 6500 K
SDCM <6

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

SAURO LED VERSIONS

LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53	10W	1290 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=100W INCANDESCENT

AVAILABLE COLORS

RESIN BODY *(MOULDED COLOURS)*

BLACK **(A)** GREY **(L)** WHITE **(W)**



DIFFUSER

CLEAR **(X)** OPAL **(Y)**




SAURO 1100

10W CCT SET D15.555.D1KCRB

LAMP INCLUDED: GX53 LED






SAURO 800

10W CCT SET D15.554.D1KCRB

LAMP INCLUDED: GX53 LED






SAURO 500

10W CCT SET D15.553.D1KCRB

LAMP INCLUDED: GX53 LED






MIRELLA

10W CCT SET D15.505.D1KCRB

LAMP INCLUDED: GX53 LED





SAURO
BOLLARD

fumagalli since 1973



SAURO E27 VERSIONS			
 FRA	with white resin louvre	 FC1	with aluminium chrome louvre


AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)			DIFFUSER	
BLACK **(A)**	GREY **(L)**	WHITE **(W)**	CLEAR **(X)**	OPAL **(Y)**
				

SAURO 1100

E27 D15.555.E27






SAURO 800

E27 D15.554.E27






SAURO 500

E27 D15.553.E27





MIRELLA

E27 D15.505.E27





GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS



BERTA
for details see pag.185



VIRGILIO APPLIQUE
for details see pag. 111

fumagalli®
since 1973



AMELIA 400
for details see pag. 127



FRANCY-OP
for details see pag.153




VIRGILIO 500
for details see pag.109




PEPPINO
for details see pag.155

TOP SELECTION 2026 - MODERN RANGE



MINITOMMY
for details see pag.157



MARTA 90 1L
for details see pag. 151

VIRGILIO
BOLLARD

MADE IN ITALY



8,5W 920 lm | 11W 1200 lm

2700 K | 4000 K | 6500 K

More details at page 213

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

DS3.564.V1K

CCT SETTABLE


2700 K | 4000 K | 6500 K

SDCM <6

VIRGILIO E27 CCT LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	COLOUR TEMPERATURE	
CCT SET LED E27	8,5W	920 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=60W INCANDESCENT
CCT SET LED E27	11W	1200 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=75W INCANDESCENT

AVAILABLE COLORS


RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK **(A)**	GREY **(L)**	WHITE **(W)**	OPAL **(Y)**



VIRGILIO 800

8,5W	CCT SET	DS3.564.V1K
11W	CCT SET	DS3.564.T1K






Master box: **6pcs**

VIRGILIO 500

8,5W	CCT SET	DS3.563.V1K
11W	CCT SET	DS3.563.T1K





Master box: **12pcs**

NEW E27 VERSION



MADE IN ITALY


GARDEN CLASSIC
10 HALF LANTER
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

VIRGILIO
BOLLARD

fumagalli since 1973

MADE IN ITALY

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION



DS3.562.V1K

CCT SETTABLE

2700 K | 4000 K | 6500 K

SDCM <6

VIRGILIO E27 CCT LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	COLOUR TEMPERATURE	
CCT SET LED E27	8,5W	920 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=60W INCANDESCENT
CCT SET LED E27	11W	1200 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=75W INCANDESCENT

AVAILABLE COLORS


RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)



VIRGILIO APPLIQUE



8,5W	CCT SET	DS3.562.V1K
11W	CCT SET	DS3.562.T1K




Master box: **16pcs**

VIRGILIO 250

8,5W	CCT SET	DS3.558.V1K
11W	CCT SET	DS3.558.T1K






Master box: **16pcs**

VIRGILIO 250 SPIKE

8,5W	CCT SET	DS3.559.V1K
11W	CCT SET	DS3.559.T1K





Master box: **16pcs**

GARDEN CLASSIC
10 HALF LANTER
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

ESTER
BOLLARD

fumagalli since 1973

MADE IN ITALY

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION



DS1.564.D1K

CCT SETTABLE

3000 K | 4000 K | 6500 K

SDCM <6

ESTER CCT LED VERSIONS

LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53	3W	410 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=40W INCANDESCENT
GX53	10W	1290 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=100W INCANDESCENT

AVAILABLE COLORS


RESIN BODY (MOULDED COLOURS)	DIFFUSER
BLACK (A), GREY (L), WHITE (W)	CLEAR (X)

ESTER 800



CCT SET LED GX53 LAMP INCLUDED

3W	DS1.564.G1K
10W	DS1.564.D1K




Master box: **6pcs**

ESTER 500



CCT SET LED GX53 LAMP INCLUDED

3W	DS1.563.G1K
10W	DS1.563.D1K




Master box: **12pcs**

ESTER WALL



CCT SET LED GX53 LAMP INCLUDED

3W	DS1.560.G1K
10W	DS1.560.D1K




Master box: **18pcs**

ESTER SPIKE



CCT SET LED GX53 LAMP INCLUDED

3W	DS1.561.G1K
10W	DS1.561.D1K



Master box: **18pcs**

GARDEN CLASSIC
10 HALF LANTER
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

ESTER
BOLLARD

fumagalli since 1973

MADE IN ITALY

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION



DS1.558.D1K

CCT SETTABLE

3000 K | 4000 K | 6500 K

SDCM <6

ESTER CCT LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53	3W	410 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=40W INCANDESCENT
GX53	10W	1290 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=100W INCANDESCENT

AVAILABLE COLORS


RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	CLEAR (X)

ESTER APPLIQUE



CCT SET LED GX53 LAMP INCLUDED

3W	DS1.562.G1K
10W	DS1.562.D1K




Master box: ***16pcs***

ESTER 250



CCT SET LED GX53 LAMP INCLUDED

3W	DS1.558.G1K
10W	DS1.558.D1K




Master box: ***16pcs***

ESTER 250 SPIKE



CCT SET LED GX53 LAMP INCLUDED

3W	DS1.559.G1K
10W	DS1.559.D1K



Master box: ***16pcs***

GARDEN CLASSIC
10 HALF LANTER
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

ELISA
BOLLARD

fumagalli since 1973

MADE IN ITALY

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION



DS2.564.D1K

CCT SETTABLE

3000 K | 4000 K | 6500 K

SDCM <6

ELISA CCT LED VERSIONS

LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53	3W	410 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=40W INCANDESCENT
GX53	10W	1290 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=100W INCANDESCENT

AVAILABLE COLORS

RESIN BODY *(MOULDED COLOURS)*

BLACK **(A)** GREY **(L)** WHITE **(W)**



WITH WHITE RESIN REFLECTOR

DIFFUSER

CLEAR **(X)**




ELISA 800



CCT SET LED GX53 LAMP INCLUDED

3W	DS2.564.G1K
10W	DS2.564.D1K




Master box: ***6pcs***

ELISA 500



CCT SET LED GX53 LAMP INCLUDED

3W	DS2.563.G1K
10W	DS2.563.D1K




Master box: ***12pcs***

ELISA WALL



CCT SET LED GX53 LAMP INCLUDED

3W	DS2.560.G1K
10W	DS2.560.D1K




Master box: ***18pcs***

ELISA SPIKE



CCT SET LED GX53 LAMP INCLUDED

3W	DS2.561.G1K
10W	DS2.561.D1K



Master box: ***18pcs***

GARDEN CLASSIC
10 HALF LANTER
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

ELISA
BOLLARD

MADE IN ITALY

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION



DS1.564.D1K

CCT SETTABLE

3000 K | 4000 K | 6500 K

SDCM <6

ELISA CCT LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53	3W	410 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=40W INCANDESCENT
GX53	10W	1290 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=100W INCANDESCENT

AVAILABLE COLORS


RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	CLEAR (X)

ELISA APPLIQUE



CCT SET LED GX53 LAMP INCLUDED

3W	DS2.562.G1K
10W	DS2.562.D1K




Master box: ***16pcs***

ELISA 250



CCT SET LED GX53 LAMP INCLUDED

3W	DS2.558.G1K
10W	DS2.558.D1K




Master box: ***16pcs***

ELISA 250 SPIKE



CCT SET LED GX53 LAMP INCLUDED

3W	DS2.559.G1K
10W	DS2.-559.D1K



Master box: ***16pcs***

GARDEN CLASSIC
10 HALF LANTER
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

STEVEN
BOLLARD

fumagalli since 1973

MADE IN ITALY

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP67 · CLASS II DOUBLE INSULATION



ST1.531.Z1R

Discover the collection SCAN ME!

STEVEN LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	COLOUR TEMPERATURE
G9 LED	1,7W	150 lm	100-240V 50/60 Hz	4000K
				3000K

AVAILABLE COLORS

BODY *(MOULDED COLOURS)*

BLACK **(A)** GREY **(L)** WHITE **(W)**

DIFFUSER

FROSTED **(X)** BLUE **(U)** GREEN **(N)** ORANGE **(R)**


STEVEN



LED G9 LAMP INCLUDED


1,7W	4000K	ST1.531.Z1L
	3000K	ST1.531.Z1R

SPIKE INSTALLATION



DUAL USE

GROUND INSTALLATION



Master box: ***10pcs***

10 HALF LANTER
16 REVIVAL
GARDEN CLASSIC
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

CARLO / CARLO DECO

BOLLARD

fumagalli since 1973

MADE IN ITALY

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION



DR3.570.U1K



DR1.575.U1K

NEW GU10 130 lumen/W

CCT SETTABLE

2700 K · 4000 K

SDCM < 3



DR3.574.U1K

NEW VERSION

CARLO CCT LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX [Φ TOTAL] UP TO	VOLTAGE RANGE	CCT SETTABLE	
GU10 LED	2,9W	390 lm	100-240V 50/60 Hz	4000K/2700K	=35W HALOGEN
GU10 LED	4,8W	625 lm	100-240V 50/60 Hz	4000K/2700K	=50W HALOGEN

AVAILABLE COLORS


RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	CLEAR (X)




CARLO 800



2,9W	DR1.575.U1K
4,8W	DR1.575.L1K
2,9W	DR3.575.U1K
4,8W	DR3.575.L1K




Master box: ***6pcs***



Master box: ***6pcs***


CARLO 800 DECO




CARLO 400



2,9W	DR1.574.U1K
4,8W	DR1.574.L1K
2,9W	DR3.574.U1K
4,8W	DR3.574.L1K



Master box: ***12pcs***



Master box: ***12pcs***

CARLO 400 DECO



GARDEN CLASSIC
10 HALF LANTER
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

NEW VERSION

CARLO CCT LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX [Φ TOTAL] UP TO	VOLTAGE RANGE	CCT SETTABLE	
GU10 LED	2,9W	390 lm	100-240V 50/60 Hz	4000K/2700K	= 35W HALOGEN
GU10 LED	4,8W	625 lm	100-240V 50/60 Hz	4000K/2700K	= 50W HALOGEN






CARLO 250




2,9W	DR1.573.U1K
4,8W	DR1.573.L1K
2,9W	DR3.573.U1K
4,8W	DR3.573.L1K



Master box: **20pcs**

CARLO 250 DECO




Master box: **20pcs**



CARLO SPIKE




2,9W	DR1.572.U1K
4,8W	DR1.572.L1K
2,9W	DR3.572.U1K
4,8W	DR3.572.L1K



Master box: **20pcs**

CARLO SPIKE DECO



Master box: **20pcs**



NEW VERSION

CARLO CCT LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX [Φ TOTAL] UP TO	VOLTAGE RANGE	CCT SETTABLE	
GU10 LED	2,9W	390 lm	100-240V 50/60 Hz	4000K/2700K	=35W HALOGEN
GU10 LED	4,8W	625 lm	100-240V 50/60 Hz	4000K/2700K	=50W HALOGEN


AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	CLEAR (X)


CARLO WALL



2,9W	DR1.570.U1K
4,8W	DR1.570.L1K
2,9W	DR3.570.U1K
4,8W	DR3.570.L1K



Master box: **20pcs**



Master box: **20pcs**


CARLO WALL DECO




CARLO-FS



2,9W	DR1.571.U1K
4,8W	DR1.571.L1K
2,9W	DR3.571.U1K
4,8W	DR3.571.L1K



Master box: **20pcs**



Master box: **20pcs**

CARLO-FS DECO



GARDEN CLASSIC
10 HALF LANTER
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

AMELIA
BOLLARD

fumagalli since 1973

MADE IN ITALY



8,5W **920 lm** | 11W **1200 lm**

2700 K | **4000 K** | **6500 K**

More details at page 213

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

DR2.575.V1K

CCT SETTABLE

2700 K | 4000 K | 6500 K

SDCM <6

AMELIA CCT LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	COLOUR TEMPERATURE	
CCT SET LED E27	8,5W	920 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=60W INCANDESCENT
CCT SET LED E27	11W	1200 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=75W INCANDESCENT

AVAILABLE COLORS


RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK **(A)**	GREY **(L)**	WHITE **(W)**	OPAL **(Y)**



AMELIA 800

8,5W	CCT SET	DR2.575.V1K
11W	CCT SET	DR2.575.T1K






Master box: ***6pcs***

AMELIA 400

8,5W	CCT SET	DR2.574.V1K
11W	CCT SET	DR2.574.T1K






Master box: ***12pcs***

AMELIA 250

8,5W	CCT SET	DR2.573.V1K
11W	CCT SET	DR2.573.T1K






Master box: ***20pcs***

AMELIA SPIKE

8,5W	CCT SET	DR2.572.V1K
11W	CCT SET	DR2.572.T1K





Master box: ***20pcs***

GARDEN CLASSIC
10 HALF LANTER
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

AMELIA
WALL LAMP

fumagalli since 1973

MADE IN ITALY

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION



DR2.570.V1K

CCT SETTABLE

2700 K | 4000 K | 6500 K

SDCM <6

AMELIA CCT LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	COLOUR TEMPERATURE	
CCT SET LED E27	8,5W	920 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=60W INCANDESCENT
CCT SET LED E27	11W	1200 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=75W INCANDESCENT


AVAILABLE COLORS

RESIN BODY	DIFFUSER
(MOULDED COLOURS)	
BLACK **(A)** GREY **(L)** WHITE **(W)**	OPAL **(Y)**

AMELIA WALL



8,5W	CCT SET	DR2.570.V1K
11W	CCT SET	DR2.570.T1K




Master box: ***20pcs***

AMELIA-FS



8,5W	CCT SET	DR2.571.V1K
11W	CCT SET	DR2.571.T1K



Master box: ***20pcs***

GARDEN CLASSIC
10 HALF LANTER
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

GABRI-MINIGABRI REMI/LUCIA

BOLLARD

fumagalli since 1973

MADE IN ITALY

NEW GX53 LED Ø160

WATT SETTABLE
15 W
9 W

CCT SETTABLE
2700 K
4000 K

15W 1940 lm

TÜV SÜD

More details at page 215

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP66 · CLASS II DOUBLE INSULATION

NEW GX53 144 lumen/W

POWER SETTABLE
15W
9W

CCT SETTABLE
2700 K
4000 K
SDCM <6

1R3.613.X10.E27

GABRI-MINIGABRI REMI/LUCIA


NEW

LED BULKHEAD GX53-CCT & WATT SETTABLE					
LAMP	POWER SETTABLE	LUMINOUS FLUX UP TO	VOLTAGE RANGE	CCT SETTABLE	
GX53 LED	15W WATT SET 9W eco mode	1940 lm 1300 lm	100-240V 50/60 Hz	4000K/2700K CCT SET	=150W INCANDESCENT =100W INCANDESCENT

AVAILABLE COLORS	
RESIN BODY (MOULDED COLOURS)	DIFFUSER
BLACK (A), GREY (L), WHITE (W)	OPAL (Y)

GABRI REMI/LUCIA 1L






NEW VERSION

	LUCIA 1R3	LUCIA-EL 2R3	LUCIA-GD 3R3
E27	1R3.613.X10.E27	2R3.613.X10.E27	3R3.613.X10.E27
GX53 LED 15W CCT SET / WATT SET	1R3.613.X10.E1P	2R3.613.X10.E1P	3R3.613.X10.E1P

GABRI REMI/LUCIA 2L






NEW VERSION

	LUCIA 1R3	LUCIA-EL 2R3	LUCIA-GD 3R3
E27	1R3.613.X20.E27	2R3.613.X20.E27	3R3.613.X20.E27
GX53 LED 15W CCT SET / WATT SET	1R3.613.X20.E1P	2R3.613.X20.E1P	3R3.613.X20.E1P

MINIGABRI REMI/LUCIA 1L






NEW VERSION

	LUCIA 1R3	LUCIA-EL 2R3	LUCIA-GD 3R3
E27	1R3.612.X10.E27	2R3.612.X10.E27	3R3.612.X10.E27
GX53 LED 15W CCT SET / WATT SET	1R3.612.X10.E1P	2R3.612.X10.E1P	3R3.612.X10.E1P

MINIGABRI REMI/LUCIA 2L





NEW VERSION

	LUCIA 1R3	LUCIA-EL 2R3	LUCIA-GD 3R3
E27	1R3.612.X20.E27	2R3.612.X20.E27	3R3.612.X20.E27
GX53 LED 15W CCT SET / WATT SET	1R3.612.X20.E1P	2R3.612.X20.E1P	3R3.612.X20.E1P

GARDEN CLASSIC
10 HALF LANTER
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS


GABRI-MINIGABRI REMI/MADDI

BOLLARD

fumagalli since 1973

MADE IN ITALY

NEW GX53 LED Ø160



15W 1940 lm

TÜV SÜD

More details at page 215

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP66 · CLASS II DOUBLE INSULATION

1V3.613.X20.E27

NEW GX53 144 lumen/W

POWER SETTABLE

15W 9W

CCT SETTABLE

2700 K 4000 K

SDCM <6

GABRI-MINIGABRI REMI/MADDI

NEW

LED BULKHEAD GX53-CCT & WATT SETTABLE


LAMP	POWER SETTABLE	LUMINOUS FLUX UP TO	VOLTAGE RANGE	CCT SETTABLE	
GX53 LED	15W WATT SET 9W	1940 lm 1300 lm eco mode	100-240V 50/60 Hz	4000K/2700K CCT SET	=150W INCANDESCENT =100W INCANDESCENT

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

GABRI REMI/MADDI 1L






NEW VERSION

	MADDI 1V3	MADDI-VE 2V3	MADDI-HL 3V3
E27	1V3.613.X10.E27	2V3.613.X10.E27	3V3.613.X10.E27
GX53 LED 15W CCT SET / WATT SET	1V3.613.X10.E1P	2V3.613.X10.E1P	3V3.613.X10.E1P

GABRI REMI/MADDI 2L






NEW VERSION

	MADDI 1V3	MADDI-VE 2V3	MADDI-HL 3V3
E27	1V3.613.X20.E27	2V3.613.X20.E27	3V3.613.X20.E27
GX53 LED 15W CCT SET / WATT SET	1V3.613.X20.E1P	2V3.613.X20.E1P	3V3.613.X20.E1P

MINIGABRI REMI/MADDI 1L






NEW VERSION

	MADDI 1V3	MADDI-VE 2V3	MADDI-HL 3V3
E27	1V3.612.X10.E27	2V3.612.X10.E27	3V3.612.X10.E27
GX53 LED 15W CCT SET / WATT SET	1V3.612.X10.E1P	2V3.612.X10.E1P	3V3.612.X10.E1P

MINIGABRI REMI/MADDI 2L





NEW VERSION

	MADDI 1V3	MADDI-VE 2V3	MADDI-HL 3V3
E27	1V3.612.X20.E27	2V3.612.X20.E27	3V3.612.X20.E27
GX53 LED 15W CCT SET / WATT SET	1V3.612.X20.E1P	2V3.612.X20.E1P	3V3.612.X20.E1P

GARDEN CLASSIC
10 HALF LANTER
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

PINELA-MINIPINELA

BOLLARD

fumagalli since 1973

MADE IN ITALY

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP66 · CLASS II DOUBLE INSULATION




GERMANA LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
2x GX53	2x3W **6W**	820 lm	**100-240V** 50/60 Hz	6500K/4000K/3000K	**=75W** INCANDESCENT
2x GX53 LED	2x10W **20W**	2570 lm	**100-240V** 50/60 Hz	6500K/4000K/3000K	**=150W** INCANDESCENT

AVAILABLE COLORS

RESIN BODY *(MOULDED COLOURS)*			DIFFUSER
BLACK **(A)**	GREY **(L)**	WHITE **(W)**	OPAL **(Y)**

PINELA 1L






E27		2N1.613.010.P27
2x3W **6W**	CCT SET	2N1.613.010.G2K
2x10W **20W**	CCT SET	2N1.613.010.D2K

PINELA 2L






E27		2N1.613.020.P27
2x3W **6W**	CCT SET	2N1.613.020.G2K
2x10W **20W**	CCT SET	2N1.613.020.D2K

MINIPINELA 1L






E27		2N1.612.010.P27
2x3W **6W**	CCT SET	2N1.612.010.G2K
2x10W **20W**	CCT SET	2N1.612.010.D2K

MINIPINELA 2L





E27		2N1.612.020.P27
2x3W **6W**	CCT SET	2N1.612.020.G2K
2x10W **20W**	CCT SET	2N1.612.020.D2K

GARDEN CLASSIC
10 HALF LANTER
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

TERESA RANGE

DOWNLIGHT / DECKLIGHT

fumagalli since 1973

MADE IN ITALY

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · CLASS II DOUBLE INSULATION

Discover the collection SCAN ME!



TERESA 50
G9

NEW GU10 130 lumen/W



TERESA 90
GU10



TERESA 160
GX53

NEW GX53 144 lumen/W



TERESA 260
GX53
E27
E27+SENSOR

TERESA 50 LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	COLOUR TEMPERATURE
G9 LED	1,7W	150 lm	100-240V 50/60 Hz	4000K
				3000K

AVAILABLE COLORS


COVER *(MOULDED COLOURS)*: BLACK **(A)**, GREY **(L)**, WHITE **(W)**

DIFFUSER: FROSTED **(X)**, BLUE **(U)**, GREEN **(N)**, ORANGE **(R)**

TERESA 50

1,7W — 4000K 2L0.000.Z1L; 3000K 2L0.000.Z1R






Master box: ***75pcs***

TERESA 50 SQUARE

1,7W — 4000K 2L4.000.Z1L; 3000K 2L4.000.Z1R






Master box: ***75pcs***

TERESA 50 1L

1,7W — 4000K 2L1.000.Z1L; 3000K 2L1.000.Z1R






Master box: ***75pcs***

TERESA 50 2L

1,7W — 4000K 2L2.000.Z1L; 3000K 2L2.000.Z1R





Master box: ***75pcs***

GARDEN CLASSIC
10 HALF LANTER
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

NEW VERSION

TERESA 90 LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX [Φ TOTAL] UP TO	VOLTAGE RANGE	CCT SETTABLE	
GU10 LED	2,9W	390 lm	100-240V 50/60 Hz	4000K/2700K	= 35W HALOGEN
GU10 LED	4,8W	625 lm	100-240V 50/60 Hz	4000K/2700K	= 50W HALOGEN

AVAILABLE COLORS


RESIN BODY (MOULDED COLOURS)	DIFFUSER
BLACK (A), GREY (L), WHITE (W)	OPAL (Y)

TERESA 90



CCT SET LED GU10 LAMP INCLUDED

GU10 lampholder	3L1.000.GU1	SMART PACK
2,9W	3L0.000.U1K	
4,8W	3L0.000.L1K	



Standard Master box: ***40pcs***
Smart Pack Master box: ***100pcs***

TERESA 90 - AVAILABLE VERSIONS

TERESA 90

SINGLE BOX - LAMP INCLUDED


TERESA 90 GU10

+


GU10 LAMP INCLUDED




cbm: **0,09**
Master box: **40 pcs**

TERESA 90 GU10

SMART PACK


5x TERESA 90 GU10



- Save **37%** volume
- ECO-friendly packaging
- Film wrapped items


cbm: **0,14**
Master box: **5X20= 100 pcs**

TERESA 160 CCT LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53	3W	410 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=40W INCANDESCENT
GX53	10W	1290 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=100W INCANDESCENT


NEW

LED BULKHEAD GX53-CCT & WATT SETTABLE					
LAMP	POWER SETTABLE	LUMINOUS FLUX UP TO	VOLTAGE RANGE	CCT SETTABLE	
GX53 LED	15W WATT SET 9W eco mode	1940 lm 1300 lm	100-240V 50/60 Hz	4000K/2700K CCT SET	=150W INCANDESCENT =100W INCANDESCENT

TERESA 160



3W		4L0.000.G1K
10W	CCT SET	4L0.000.D1K




Master box: **18pcs**

TERESA 260



	E27 lampholder		5L0.000.P27
NEW VERSION	GX53 LED 15W	CCT SET WATT SET	5L0.000.E1P



Master box: **16pcs**

SUPPLIED FULLY PRE-WIRED

NEW

GX53 LED



E27



E27+SENSOR



LIVIA RANGE
DOWNLIGHT

MADE IN ITALY

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · IP55 · CLASS II DOUBLE INSULATION





1A9.000.Z1L

AVAILABLE COLORS	
RESIN BODY *(MOULDED COLOURS)*	**DIFFUSER**
BLACK **(A)** · GREY **(L)** · WHITE **(W)**	FROSTED **(X)**

LIVIA 60 LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	COLOUR TEMPERATURE
G9 LED	1,7W	150 lm	100-240V 50/60 Hz	4000K
				3000K


NEW VERSION — LIVIA 90 CCT LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX (Φ TOTAL) UP TO	VOLTAGE RANGE	CCT SETTABLE	
GU10 LED	2,9W	390 lm	100-240V 50/60 Hz	4000K/2700K	=35W HALOGEN
GU10 LED	4,8W	625 lm	100-240V 50/60 Hz	4000K/2700K	=50W HALOGEN

LIVIA 60



LED G9 LAMP INCLUDED

1,7W	4000K	1A9.000.Z1L
	3000K	1A9.000.Z1R




Master box: ***75pcs***

LIVIA 90



CCT SET LED GU10 LAMP INCLUDED

2,9W	2A9.000.U1K
4,8W	2A9.000.L1K



Master box: ***30pcs***

GARDEN CLASSIC
10 HALF LANTER
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

LIVIA RANGE
DOWNLIGHT

MADE IN ITALY

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · IP55 · CLASS II DOUBLE INSULATION

3A9.000.G1K

AVAILABLE COLORS

RESIN BODY *(MOULDED COLOURS)*			DIFFUSER
BLACK **(A)**	GREY **(L)**	WHITE **(W)**	FROSTED **(X)**

LIVIA 160 CCT LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53	3W	410 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=40W INCANDESCENT
GX53	10W	1290 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=100W INCANDESCENT


LIVIA 180 CCT LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	CCT SETTABLE	
HIGH POWER LED E27	15W	1690 lm	100-240V 50/60 Hz	3000K/ 4000K	=50W HQI-SON
HIGH POWER LED E27	30W	3620 lm	100-240V 50/60 Hz	3000K/ 4000K	=70W HQI-SON

LIVIA 160



CCT SET
LED
GX53 LAMP INCLUDED

3W	3A9.000.G1K
10W	3A9.000.D1K




Master box: ***18pcs***

LIVIA 180



CCT SET
LED
E27 HIGH POWER LAMP INCLUDED

15W	4A9.000.R1K
30W	4A9.000.Q1K



Master box: ***12pcs***

GARDEN CLASSIC
10 HALF LANTER
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

MAMETE
UP & DOWN

fumagalli since 1973

MADE IN ITALY

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP67 · CLASS II DOUBLE INSULATION



WALL INSTALLATION

2A3.000.Z1L





1A3.000.Z1L

GROUND INSTALLATION

SCAN ME! Discover the collection

MAMETE LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	COLOUR TEMPERATURE
G9 LED	1,7W	150 lm	100-240V 50/60 Hz	4000K
				3000K

AVAILABLE COLORS

BODY (MOULDED COLOURS)			DIFFUSER			
BLACK (A)	GREY (L)	WHITE (W)	FROSTED (X)	BLUE (U)	GREEN (N)	ORANGE (R)


MAMETE SQUARE




LED G9 LAMP INCLUDED

1,7W

4000K	1A3.000.Z1L
3000K	1A3.000.Z1R





Master box: ***50pcs***


MAMETE ROUND




LED G9 LAMP INCLUDED

1,7W

4000K	2A3.000.Z1L
3000K	2A3.000.Z1R





Master box: ***50pcs***

ABRAM RANGE
UP&DOWN

MADE IN ITALY

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION



AB1.000.J1K

CCT SETTABLE




2700 K | 4000 K | 6500 K

SDCM <6

ABRAM LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	CCT SETTABLE
R7s LED	3,5W	365 lm	100-240V 50/60 Hz	6500K/4000K/2700K
R7s LED	7,5W	790 lm	100-240V 50/60 Hz	6500K/4000K/2700K
R7s LED	10,5W	1160 lm	100-240V 50/60 Hz	6500K/4000K/2700K

RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	CLEAR (X)




ABRAM 150



CCT SET LED R7s LAMP INCLUDED

3,5W AB1.000.J1K




Master box: ***30pcs***

ABRAM 190



CCT SET LED R7s LAMP INCLUDED

7,5W AB2.000.K1K




Master box: ***30pcs***

ABRAM 270



CCT SET LED R7s LAMP INCLUDED

10,5W AB3.000.P1K



Master box: ***14pcs***

FRANCA 90

UP&DOWN

MADE IN ITALY

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION



3A7.002.U1K

NEW GU10 130 lumen/W

CCT SETTABLE

2700 K 4000 K

SDCM < 3

FRANCA 90 CCT LED VERSIONS

	LAMP	POWER	LUMINOUS FLUX [Φ TOTAL] UP TO	VOLTAGE RANGE	CCT SETTABLE	
FRANCA 90 1L	GU10 LED	2,9W	390 lm	100-240V 50/60 Hz	4000K/2700K	=35W HALOGEN
	GU10 LED	4,8W	625 lm	100-240V 50/60 Hz	4000K/2700K	=50W HALOGEN
FRANCA 90 2L	2X GU10 LED	2x 2,9W 5,8W	780 lm	100-240V 50/60 Hz	4000K/2700K	=2 x 35W HALOGEN
	2X GU10 LED	2x 4,8W 9,6W	1250 lm	100-240V 50/60 Hz	4000K/2700K	=2 x 50W HALOGEN

AVAILABLE COLORS

BODY *(MOULDED COLOURS)*

BLACK **(A)** GREY **(L)** WHITE **(W)**


DIFFUSER

FROSTED **(X)** BLUE **(U)** GREEN **(N)** ORANGE **(R)**

FRANCA 90



CCT SET LED GU10 LAMP INCLUDED		
	2,9W	3A7.000.U1K
	4,8W	3A7.000.L1K




NEW GU10 130 lumen/W

Master box: ***30pcs***

FRANCA 90 SPIKE



CCT SET LED GU10 LAMP INCLUDED		
	2,9W	3A7.001.U1K
	4,8W	3A7.001.L1K




NEW GU10 130 lumen/W

Master box: ***30pcs***

FRANCA 90-1L WALL



CCT SET LED GU10 LAMP INCLUDED		
	2,9W	3A7.002.U1K
	4,8W	3A7.002.L1K




NEW GU10 130 lumen/W

Master box: ***30pcs***

FRANCA 90-2L WALL



CCT SET LED GU10 LAMP INCLUDED		
	2x2,9W 5,8W	3A7.003.U2K
	2x4,8W 9,6W	3A7.003.L2K



NEW GU10 130 lumen/W

Master box: ***20pcs***

MARTA
UP&DOWN

fumagalli since 1973

MADE IN ITALY

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION



1A4.000.U1K

1A6.000.G1K

AVAILABLE COLORS

BODY *(MOULDED COLOURS)*	DIFFUSER
BLACK **(A)**, GREY **(L)**, WHITE **(W)**	FROSTED **(X)**, BLUE **(U)**, GREEN **(N)**, ORANGE **(R)**

MARTA 90 CCT LED VERSIONS

	LAMP	POWER	LUMINOUS FLUX (Φ TOTAL) UP TO	VOLTAGE RANGE	CCT SETTABLE	
MARTA 90 1L	GU10 LED	2,9W	390 lm	100-240V 50/60 Hz	4000K/2700K	=35W HALOGEN
	GU10 LED	4,8W	625 lm	100-240V 50/60 Hz	4000K/2700K	=50W HALOGEN
MARTA 90 2L	2X GU10 LED	2x 2,9W 5,8W	780 lm	100-240V 50/60 Hz	4000K/2700K	=2 x 35W HALOGEN
	2X GU10 LED	2x 4,8W 9,6W	1250 lm	100-240V 50/60 Hz	4000K/2700K	=2 x 50W HALOGEN

MARTA 160 CCT LED VERSIONS


LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
MARTA160 1L GX53	3W	410 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=40W INCANDESCENT
	10W	1290 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=100W INCANDESCENT
MARTA160 2L 2x GX53	2x3W 6W	820 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=2x40W INCANDESCENT
	2x10W 20W	2580 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=2x100W INCANDESCENT

MARTA90 1L



CCT SET
LED GU10 LAMP INCLUDED

2,9W	1A4.000.U1K
4,8W	1A4.000.L1K



NEW GU10 130 lumen/W


Master box: **36pcs**

MARTA160 1L



CCT SET
LED GX53 LAMP INCLUDED

E27	1A6.000.E27
3W	1A6.000.G1K
10W	1A6.000.D1K




Master box: **18pcs**

MARTA90 2L



CCT SET
LED GU10 LAMP INCLUDED

2,9W	2A4.000.U2K
4,8W	2A4.000.L2K



NEW GU10 130 lumen/W


Master box: **36pcs**

MARTA160 2L



CCT SET
LED GX53 LAMP INCLUDED

2x3W 6W	2A6.000.G2K
2x10W 20W	2A6.000.D2K



Master box: **18pcs**

GARDEN CLASSIC
10 HALF LANTER
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

FRANCY
UP&DOWN

MADE IN ITALY



6,5W	8,5W		11W
800 lm	**920 lm**		**1200 lm**
2700 K	**2700 K**	**4000 K**	**6500 K**

More details at page 213

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP66 · CLASS II DOUBLE INSULATION



1A1.000.F1R

SINGLE BOX





cbm: **0,14**
Master box:
24 pcs

SMART PACK AVAILABLE

- ✓ Save **40%** volume
- ✓ ECO-friendly packaging
- ✓ Film wrapped items


SAVE 40% VOLUME





cbm: **0,15**
Master box:
42 pcs

SUPPLIED FULLY PRE-WIRED

2X GX53 LED	FILAMENT LED	CCT LED	E27	E27 + SENSOR
				 WITH SENSOR 220-240V (.ES7)


FRANCY LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	COLOUR TEMPERATURE	
FILAMENT LED E27	6,5W	800 lm	100-240V 50/60 Hz	2700K	=60W INCANDESCENT
CCT SET LED E27	8,5W	920 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=60W INCANDESCENT
2x GX53 LED	2x3W 6W	820 lm (Φ TOTAL)	100-240V 50/60 Hz	6500K/4000K/3000K	=75W INCANDESCENT

AVAILABLE COLORS		
RESIN BODY (MOULDED COLOURS)		DIFFUSER
BLACK (A)	GREY (L) WHITE (W)	OPAL (Y)

FRANCY




	E27	1A2.000.E27	SMART PACK
	E27	1A1.000.E27	SINGLE BOX
LED E27 LAMP INCLUDED	6,5W FILAMENT LED 2700K	1A1.000.F1R	SINGLE BOX
	8,5W CCT SET	1A1.000.V1K	SINGLE BOX




Standard Master box: ***24pcs***
Smart Pack Master box: ***42pcs***

FRANCY-OP



	E27	2A2.000.E27	SMART PACK
	E27	2A1.000.E27	SINGLE BOX
LED LAMP INCLUDED	6,5W FILAMENT LED 2700K	2A1.000.F1R	SINGLE BOX
	2x3W 6W CCT SET	2A1.000.G2K	SINGLE BOX



Standard Master box: ***24pcs***
Smart Pack Master box: ***42pcs***

GARDEN CLASSIC
10 HALF LANTER
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

PEPPINO
FLOODLIGHT

fumagalli since 1973

MADE IN ITALY

NEW ENTRY!

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP66 · CLASS II DOUBLE INSULATION



1P2.001.U1K

1P1.000.U1K

CCT SETTABLE
2700 K 4000 K
SDCM < 3

NEW GU10 130 lumen/W

NEW VERSION

PEPPINO CCT LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX [Φ TOTAL] UP TO	VOLTAGE RANGE	CCT SETTABLE	
GU10 LED	2,9W	390 lm	100-240V 50/60 Hz	4000K/2700K	=35W HALOGEN
GU10 LED	4,8W	625 lm	100-240V 50/60 Hz	4000K/2700K	=50W HALOGEN


AVAILABLE COLORS

COVER (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	FROSTED(X)

PEPPINO

2,9W	1M1.000.U1K
4,8W	1M1.000.L1K






NEW GU10 130 lumen/W

Master box: **30pcs**

PEPPINO SPIKE

2,9W	1M2.000.U1K
4,8W	1M2.000.L1K



NEW GU10 130 lumen/W


Master box: **30pcs**



PEPPINO-EL

2,9W	1P2.000.U1K
4,8W	1P2.000.L1K






NEW GU10 130 lumen/W

Master box: **30pcs**

PEPPINO-EL SPIKE

2,9W	1P2.001.U1K
4,8W	1P2.001.L1K



NEW GU10 130 lumen/W

Master box: **30pcs**




GARDEN CLASSIC
10 HALF LANTER
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

MINITOMMY
FLOODLIGHT

fumagalli since 1973

MADE IN ITALY

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP66 · CLASS II DOUBLE INSULATION



NEW VERSION

MINITOMMY LED VERSIONS

	LAMP	POWER	LUMINOUS FLUX [Φ TOTAL] UP TO	VOLTAGE RANGE	CCT SETTABLE	
MINITOMMY 1L	GU10 LED	2,9W	390 lm	100-240V 50/60 Hz	4000K/2700K	= 35W HALOGEN
	GU10 LED	4,8W	625 lm	100-240V 50/60 Hz	4000K/2700K	= 50W HALOGEN
MINITOMMY 2L	2X GU10 LED	2x 2,9W 5,8W	780 lm	100-240V 50/60 Hz	4000K/2700K	= 2 x 35W HALOGEN
	2X GU10 LED	2x 4,8W 9,6W	1250 lm	100-240V 50/60 Hz	4000K/2700K	= 2 x 50W HALOGEN

AVAILABLE COLORS

COVER *(MOULDED COLOURS)*

BLACK **(A)** GREY **(L)** WHITE **(W)**


DIFFUSER

FROSTED **(X)** BLUE **(U)** GREEN **(N)** ORANGE **(R)**



MINITOMMY


2,9W	1M1.000.U1K	
4,8W	1M1.000.L1K	



Master box: **30pcs**

MINITOMMY SPIKE

2,9W	1M1.001.U1K	
4,8W	1M1.001.L1K	




Master box: **30pcs**



MINITOMMY-EL


2,9W	1M2.000.U1K	
4,8W	1M2.000.L1K	



Master box: **30pcs**

MINITOMMY-EL SPIKE

2,9W	1M2.001.U1K	
4,8W	1M2.001.L1K	




Master box: **30pcs**



MINITOMMY 2L


2x 2,9W	3M1.000.U2K	
2x 4,8W	3M1.000.L2K	



Master box: **18pcs**

MINITOMMY 2L SPIKE

2x 2,9W	3M1.001.U2K	
2x 4,8W	3M1.001.L2K	




Master box: **18pcs**



MINITOMMY-EL 2L


2x 2,9W	3M2.000.U2K	
2x 4,8W	3M2.000.L2K	



Master box: **18pcs**

MINITOMMY-EL 2L SPIKE

2x 2,9W	3M2.001.U2K	
2x 4,8W	3M2.001.L2K	



Master box: **18pcs**

TOMMY
FLOODLIGHT

MADE IN ITALY

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP66 · CLASS II DOUBLE INSULATION



2M1.000.D1K

CCT SETTABLE



TOMMY CCT LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53	3W	410 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=40W INCANDESCENT
GX53	10W	1290 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=100W INCANDESCENT

AVAILABLE COLORS


COVER *(MOULDED COLOURS)*: BLACK (A), GREY (L), WHITE (W)

DIFFUSER: FROSTED(X), BLUE (U), GREEN (N), ORANGE (R)



TOMMY-SQ


3W	5M1.000.G1K
10W	5M1.000.D1K



Master box: **18pcs**

TOMMY-SQ SPIKE

3W	5M1.001.G1K
10W	5M1.001.D1K




Master box: **18pcs**



TOMMY


3W	2M1.000.G1K
10W	2M1.000.D1K



Master box: **18pcs**

TOMMY SPIKE

3W	2M1.001.G1K
10W	2M1.001.D1K




Master box: **18pcs**



TOMMY-EL


3W	2M2.000.G1K
10W	2M2.000.D1K



Master box: **18pcs**

TOMMY-EL SPIKE

3W	2M2.001.G1K
10W	2M2.001.D1K



Master box: **18pcs**

GARDEN CLASSIC
10 HALF LANTER
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

TOMMY 2L
FLOODLIGHT

fumagalli since 1973

MADE IN ITALY

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP66 · CLASS II DOUBLE INSULATION



4M1.001.D2K

CCT SETTABLE

3000 K | 4000 K | 6500 K

SDCM <6

TOMMY 2L LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
2x GX53	2x3W 6W	820 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=75W INCANDESCENT
2x GX53 LED	2x10W 20W	2570 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=150W INCANDESCENT

AVAILABLE COLORS


COVER *(MOULDED COLOURS)*: BLACK **(A)**, GREY **(L)**, WHITE **(W)**

DIFFUSER: FROSTED **(X)**, BLUE **(U)**, GREEN **(N)**, ORANGE **(R)**



TOMMY-SQ 2L


2x3W 6W	6M1.000.G2K
2x10W 20W	6M1.000.D2K



Master box: ***8pcs***

TOMMY-SQ 2L SPIKE

2x3W 6W	6M1.001.G2K
2x10W 20W	6M1.001.D2K




Master box: ***8pcs***



TOMMY 2L


2x3W 6W	4M1.000.G2K
2x10W 20W	4M1.000.D2K



Master box: ***8pcs***

TOMMY 2L SPIKE

2x3W 6W	4M1.001.G2K
2x10W 20W	4M1.001.D2K




Master box: ***8pcs***



TOMMY-EL 2L


2x3W 6W	4M2.000.G2K
2x10W 20W	4M2.000.D2K



Master box: ***8pcs***

TOMMY-EL 2L SPIKE

2x3W 6W	4M2.001.G2K
2x10W 20W	4M2.001.D2K



Master box: ***8pcs***

GARDEN CLASSIC
10 HALF LANTER
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

GERMANA
FLOODLIGHT

MADE IN ITALY

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP66 · CLASS II DOUBLE INSULATION



2N1.000.P27

CCT SETTABLE



SUPPLIED FULLY PRE-WIRED

2x GX53 LED	E27	E27 + SENSOR
		

WITH SENSOR
220-240V
(.PS7)

GERMANA LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
2x GX53	2x3W 6W	820 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=75W INCANDESCENT
2x GX53 LED	2x10W 20W	2570 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=150W INCANDESCENT

AVAILABLE COLORS


RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

GERMANA



CCT SET LED GX53 LAMP INCLUDED

E27	2N1.000.P27
2x3W 6W	2N1.000.G2K
2x10W 20W	2N1.000.D2K




Master box: **18pcs**

GIOVA/GERMANA



CCT SET LED GX53 LAMP INCLUDED

E27	2N1.702.P27
2x3W 6W	2N1.702.G2K
2x10W 20W	2N1.702.D2K



Master box: **18pcs**


GARDEN CLASSIC
10 HALF LANTER
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

GIUSEPPE
FLOODLIGHT

fumagalli since 1973

MADE IN ITALY

NEW GX53 LED Ø160



15W 1940 lm

More details at page 215

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP66 · CLASS II DOUBLE INSULATION



4P2.000.E28

SUPPLIED FULLY PRE-WIRED

GX53 LED	GX53 LED + SENSOR	4x GX53 LED	2x E27	2x E27 + SENSOR
NEW NEW GX53 144 lumen/W	WITH SENSOR))) (220-240V) 15W-9W CCT (.ESP)			WITH SENSOR))) 220-240V (.ES8)

GIUSEPPE LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	CCT SETTABLE	
NEW GX53 LED	15W WATT SET / 9W eco mode	1940 lm / 1300 lm	100-240V 50/60 Hz	4000K/2700K CCT SET	=100W INCANDESCENT
4x GX53	4x10W 40W	5160 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=100W HQI-SON


AVAILABLE COLORS		
RESIN BODY (MOULDED COLOURS)		DIFFUSER
BLACK (A)	GREY (L) / WHITE (W)	OPAL (Y)

GIUSEPPE



NEW VERSION

2x E27		4P2.000.E28
4x10W 40W	CCT SET	4P2.000.D4K
GX53 LED 15W	CCT SET / WATT SET	4P1.000.E1P




Master box: **10pcs**

GIOVA/GIUSEPPE



NEW VERSION

2x E27		4P2.702.E28
4x10W 40W	CCT SET	4P2.702.D4K
GX53 LED 15W	CCT SET / WATT SET	4P1.702.E1P



Master box: **10pcs**

ALDO

IN-GROUND / RECESSED

MADE IN ITALY



1L1.000.Z1L






ALDO LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	COLOUR TEMPERATURE
G9 LED	1,7W	150 lm	100-240V 50/60 Hz	4000K / 3000K


AVAILABLE COLORS

COVER (MOULDED COLOURS): BLACK (A), GREY (L), WHITE (W)

DIFFUSER: FROSTED(X), BLUE (U), GREEN (N), ORANGE (R)


ALDO







1,7W — 4000K 1L0.000.Z1L; 3000K 1L0.000.Z1R










ALDO 1L






1,7W — 4000K 1L1.000.Z1L; 3000K 1L1.000.Z1R









ALDO 2L







1,7W — 4000K 1L2.000.Z1L; 3000K 1L2.000.Z1R








ALDO SQUARE






1,7W — 4000K 1L4.000.Z1L; 3000K 1L4.000.Z1R







GARDEN CLASSIC
10 HALF LANTER
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

CECI
IN-GROUND

fumagalli since 1973

MADE IN ITALY

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP66 · IP67 · CLASS II DOUBLE INSULATION



1F2.000.U1K

NEW GU10 130 lumen/W

CCT SETTABLE

2700 K 4000 K

SDCM < 3

NEW VERSION

CECI 90 CCT LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX (Φ TOTAL) UP TO	VOLTAGE RANGE	CCT SETTABLE	
GU10 LED	2,9W	390 lm	100-240V 50/60 Hz	4000K/2700K	=35W HALOGEN
GU10 LED	4,8W	625 lm	100-240V 50/60 Hz	4000K/2700K	=50W HALOGEN

AVAILABLE COLORS


BODY (MOULDED COLOURS)	DIFFUSER
BLACK (A), GREY (L)	FROSTED (X), BLUE (U), GREEN (N), ORANGE (R)

CECI 90



CCT SET LED GU10 LAMP INCLUDED

2,9W	1F1.000.U1K
4,8W	1F1.000.L1K




Master box: **40pcs**

CECI 90-2L



CCT SET LED GU10 LAMP INCLUDED

2,9W	1F2.000.U1K
4,8W	1F2.000.L1K




Master box: **40pcs**

CECI 90-3L



CCT SET LED GU10 LAMP INCLUDED

2,9W	1F3.000.U1K
4,8W	1F3.000.L1K




Master box: **40pcs**

CECI 90-SQ



CCT SET LED GU10 LAMP INCLUDED

2,9W	1F4.000.U1K
4,8W	1F4.000.L1K



Master box: **40pcs**

AVAILABLE COLORS	
COVER *(MOULDED COLOURS)*	DIFFUSER
BLACK **(A)**, GREY **(L)**	FROSTED **(X)**, BLUE **(U)**, GREEN **(N)**, ORANGE **(R)**


CE · CB IECEE CB SCHEME · DOUBLE INSULATION CLASS · ANTI-SHOCK · RECYCLABLE · UV-TREATED · IP66 · IP67

CECI 120 LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53	3W	410 lm	100-240V 50/60 Hz	6500K/4000K/3000K	= 40W INCANDESCENT

CECI 120



3W — 2F1.000.G1K




Master box: ***36pcs***

CECI 120-2L



3W — 2F2.000.G1K




Master box: ***36pcs***

CECI 120-3L



3W — 2F3.000.G1K




Master box: ***36pcs***

CECI 120-SQ



3W — 2F4.000.G1K



Master box: ***36pcs***




CECI 160 LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53	10W	1290 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=100W INCANDESCENT

CECI 160



10W 3F1.000.D1K




Master box: ***18pcs***

CECI 160-2L



10W 3F2.000.D1K




Master box: ***18pcs***

CECI 160-3L



10W 3F3.000.D1K




Master box: ***18pcs***

CECI 160-SQ



10W 3F4.000.D1K



Master box: ***18pcs***

GARDEN CLASSIC
10 HALF LANTER
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS


NINA RANGE
BRICKLIGHT

MADE IN ITALY

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION




6C1.000.J1K



NINA LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	CCT SETTABLE
R7s LED	3,5W	365 lm	100-240V 50/60 Hz	6500K/4000K/2700K
R7s LED	7,5W	790 lm	100-240V 50/60 Hz	6500K/4000K/2700K
R7s LED	10,5W	1160 lm	100-240V 50/60 Hz	6500K/4000K/2700K

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK **(A)**	GREY **(L)**	WHITE **(W)**	OPAL **(Y)**



NINA 150



CCT SET LED R7s LAMP INCLUDED

3,5W 6C1.000.J1K




Master box: ***50pcs***

NINA 190



CCT SET LED R7s LAMP INCLUDED

7,5W 7C1.000.K1K



Master box: ***50pcs***

NINA 270



CCT SET LED R7s LAMP INCLUDED

10,5W 8C1.000.P1K



Master box: ***30pcs***

GARDEN CLASSIC
10 HALF LANTER
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

LORENZA RANGE

BRIKLIGHIT


MADE IN ITALY

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION



AS1.000.J1K

CCT SETTABLE



LORENZA LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	CCT SETTABLE
R7s LED	3,5W	365 lm	100-240V 50/60 Hz	6500K/4000K/2700K
R7s LED	7,5W	790 lm	100-240V 50/60 Hz	6500K/4000K/2700K
R7s LED	10,5W	1160 lm	100-240V 50/60 Hz	6500K/4000K/2700K

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	CLEAR (X)




LORENZA 150



CCT SET LED R7s LAMP INCLUDED

3,5W AS1.000.J1K




Master box: ***24pcs***

LORENZA 190



CCT SET LED R7s LAMP INCLUDED

7,5W AS2.000.K1K




Master box: ***24pcs***

LORENZA 270



CCT SET LED R7s LAMP INCLUDED

10,5W AS3.000.P1K



Master box: ***14pcs***

GARDEN CLASSIC
10 HALF LANTER
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

LETI RANGE
BRICKLIGHT


MADE IN ITALY

UV-TREATED · ANTI-SHOCK · RECYCLABLE · IP66 · CLASS II DOUBLE INSULATION

2C1.000.G1K







LETI/EXTRALETI 100 ROUND

LETI/EXTRALETI 100 CCT LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53	3W	410 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=40W INCANDESCENT


AVAILABLE COLORS

COVER (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

LETI 100 ROUND

CCT SET LED GX53 LAMP INCLUDED — 3W — 2C1.000.G1K






Master box: **48pcs**

EXTRALETI 100 ROUND

CCT SET LED GX53 LAMP INCLUDED — 3W — 2S1.000.G1K






Master box: **48pcs**

LETI 100 ROUND-GR

CCT SET LED GX53 LAMP INCLUDED — 3W — 2C2.000.G1K






Master box: **48pcs**

EXTRALETI 100 ROUND-GR

CCT SET LED GX53 LAMP INCLUDED — 3W — 2S2.000.G1K






Master box: **48pcs**

LETI 100 ROUND-EL

CCT SET LED GX53 LAMP INCLUDED — 3W — 2C3.000.G1K






Master box: **48pcs**

EXTRALETI 100 ROUND-EL

CCT SET LED GX53 LAMP INCLUDED — 3W — 2S3.000.G1K






Master box: **48pcs**

LETI 100 ROUND-ST

CCT SET LED GX53 LAMP INCLUDED — 3W — 2C4.000.G1K






Master box: **48pcs**

EXTRALETI 100 ROUND-ST

CCT SET LED GX53 LAMP INCLUDED — 3W — 2S4.000.G1K





Master box: **48pcs**

LETI/EXTRALETI 100 LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53	3W	410 lm	100-240V 50/60 Hz	6500K/4000K/3000K	= 40W INCANDESCENT

AVAILABLE COLORS


COVER (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)



LETI 100 SQUARE



CCT SET LED GX53 LAMP INCLUDED — 3W — 3C1.000.G1K




Master box: **48pcs**

EXTRALETI 100 SQUARE




CCT SET LED GX53 LAMP INCLUDED — 3W — 3S1.000.G1K




Master box: **48pcs**

LETI 100 SQUARE-GR



CCT SET LED GX53 LAMP INCLUDED — 3W — 3C2.000.G1K




Master box: **48pcs**

EXTRALETI 100 SQUARE-GR



CCT SET LED GX53 LAMP INCLUDED — 3W — 3S2.000.G1K




Master box: **48pcs**

LETI 100 SQUARE-EL



CCT SET LED GX53 LAMP INCLUDED — 3W — 3C3.000.G1K




Master box: **48pcs**

EXTRALETI 100 SQUARE-EL



CCT SET LED GX53 LAMP INCLUDED — 3W — 3S3.000.G1K




Master box: **48pcs**

LETI 100 SQUARE-ST



CCT SET LED GX53 LAMP INCLUDED — 3W — 3C4.000.G1K




Master box: **48pcs**

EXTRALETI 100 SQUARE-ST



CCT SET LED GX53 LAMP INCLUDED — 3W — 3S4.000.G1K



Master box: **48pcs**


LETI/EXTRALETI 200 CCT LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53	3W	410 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=40W INCANDESCENT


AVAILABLE COLORS

COVER (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

LETI 200

CCT SET LED GX53 LAMP INCLUDED — 3W — 4C1.000.G1K






Master box: **36pcs**

EXTRALETI 200

CCT SET LED GX53 LAMP INCLUDED — 3W — 4S1.000.G1K






Master box: **36pcs**

LETI 200-GL

CCT SET LED GX53 LAMP INCLUDED — 3W — 4C2.000.G1K






Master box: **36pcs**

EXTRALETI 200-GL

CCT SET LED GX53 LAMP INCLUDED — 3W — 4S2.000.G1K







Master box: **36pcs**

LETI 200-RS

CCT SET LED GX53 LAMP INCLUDED — 3W — 4C3.000.G1K






Master box: **36pcs**

EXTRALETI 200-RS

CCT SET LED GX53 LAMP INCLUDED — 3W — 4S3.000.G1K






Master box: **36pcs**

LETI 200-HS

CCT SET LED GX53 LAMP INCLUDED — 3W — 4C4.000.G1K






Master box: **36pcs**

EXTRALETI 200-HS

CCT SET LED GX53 LAMP INCLUDED — 3W — 4S4.000.G1K






Master box: **36pcs**

LETI 200-VP

CCT SET LED GX53 LAMP INCLUDED — 3W — 4C5.000.G1K






Master box: **36pcs**

EXTRALETI 200-VP

CCT SET LED GX53 LAMP INCLUDED — 3W — 4S5.000.G1K





Master box: **36pcs**

LETI 300/EXTRALETI 300

BRICKLIGHT


MADE IN ITALY

UV-TREATED · ANTI-SHOCK · RECYCLABLE · IP66 · CLASS II DOUBLE INSULATION




5S1.000.G2K

NEW SLIMMER BODY VERSION







LETI/EXTRALETI 300 LED VERSIONS

LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
2x GX53	2x 3W 6W	820 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=75W INCANDESCENT

AVAILABLE COLORS

COVER (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)




LETI 300



CCT SET LED GX53 LAMP INCLUDED

2x3W 6W	5C1.000.G2K
E27	5C1.000.E27




Master box: **24pcs**

EXTRALETI 300



CCT SET LED GX53 LAMP INCLUDED

2x3W 6W	5S1.000.G2K




Master box: **20pcs**

LETI 300-GL



CCT SET LED GX53 LAMP INCLUDED

2x3W 6W	5C2.000.G2K
E27	5C2.000.E27




Master box: **24pcs**

EXTRALETI 300-GL



CCT SET LED GX53 LAMP INCLUDED

2x3W 6W	5S2.000.G2K




Master box: **20pcs**

LETI 300-RS



CCT SET LED GX53 LAMP INCLUDED

2x3W 6W	5C3.000.G2K
E27	5C3.000.E27




Master box: **24pcs**

EXTRALETI 300-RS



CCT SET LED GX53 LAMP INCLUDED

2x3W 6W	5S3.000.G2K



Master box: **20pcs**

LETI 300-HS



CCT SET LED GX53 LAMP INCLUDED

2x3W 6W	5C4.000.G2K
E27	5C4.000.E27




Master box: **24pcs**

EXTRALETI 300-HS



CCT SET LED GX53 LAMP INCLUDED

2x3W 6W	5S4.000.G2K



Master box: **20pcs**

LETI 300-VP



CCT SET LED GX53 LAMP INCLUDED

2x3W 6W	5C5.000.G2K
E27	5C5.000.E27

Master box: **24pcs**




EXTRALETI 300-VP



CCT SET LED GX53 LAMP INCLUDED

2x3W 6W	5S5.000.G2K

Master box: **20pcs**



BERTINA
BULKHEAD

Ø200 BERTINA · Ø275 BERTA · Ø350 UMBERTA

fumagalli since 1973

MADE IN ITALY

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP66 · CLASS II DOUBLE INSULATION

1B1.000



NO SCREWS AT SIGHT

SINGLE BOX





cbm: **0,19**
Master box: **45 pcs**

SMART PACK AVAILABLE

- ✓ Save **30%** volume
- ✓ ECO-friendly packaging
- ✓ Film wrapped items

SAVE 30% VOLUME





cbm: **0,09**
Master box: **32 pcs**

CCT SETTABLE

3000 K · 4000 K · 6500 K

SDCM <6

BERTINA CCT LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53	3W	410 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=40W INCANDESCENT
GX53	10W	1290 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=100W INCANDESCENT


AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

BERTINA



GX53 lampholder	2B1.000.G53	SMART PACK
GX53 lampholder	1B1.000.G53	SINGLE BOX
3W	2B1.000.G1K	SMART PACK
3W	1B1.000.G1K	SINGLE BOX
10W	1B1.000.D1K	SINGLE BOX



Standard Master box: ***45pcs***
Smart Master box: ***32pcs***

AVAILABLE VERSIONS

GX53 LAMPHOLDER



GX53 LED - CCT SETTABLE






BERTA
BULKHEAD

Ø200 BERTINA | Ø275 BERTA | Ø350 UMBERTA

fumagalli since 1973

MADE IN ITALY

NEW GX53 LED Ø160



15W 1940 lm

More details at page 215

U.V. UV-TREATED | ANTI-SHOCK | RECYCLABLE | CE | CB IECEE CB SCHEME | IP66 | CLASS II DOUBLE INSULATION

1B2.000

SINGLE BOX





cbm: **0,19**
Master box:
16 pcs

SMART PACK AVAILABLE

- Save **21%** volume
- ECO-friendly packaging
- Film wrapped items





cbm: **0,15**
Master box:
16 pcs

NEW

BERTA GX53-CCT & WATT SETTABLE					
LAMP	POWER SETTABLE	LUMINOUS FLUX UP TO	VOLTAGE RANGE	CCT SETTABLE	
GX53 LED	15W WATT SET 9W	1940 lm 1300 lm eco mode	100-240V 50/60 Hz	4000K/2700K CCT SET	=150W INCANDESCENT =100W INCANDESCENT

AVAILABLE COLORS


RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

BERTA E27



SENSOR VERSION AVAILABLE 220-240V(.PS7)

E27	2B2.000.P27	SMART PACK
E27	1B2.000.P27	SINGLE BOX




Master box: **16pcs**

BERTA GX53 LED



NEW VERSION

GX53 LED 15W — CCT SET — WATT SET — 1B2.000.E1P



NEW GX53 144 lumen/W

Master box: **16pcs**




UMBERTA
BULKHEAD

Ø200 BERTINA · Ø275 BERTA · Ø350 UMBERTA

fumagalli since 1973

MADE IN ITALY

NEW GX53 LED Ø160



15W 1940 lm

More details at page 215

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP66 · CLASS II DOUBLE INSULATION





2B3.000

SMART PACK AVAILABLE

- Save **20%** volume
- ECO-friendly packaging
- Film wrapped items





cbm: **0,21**
Master box: **16 pcs**

UMBERTA

NEW

LED BULKHEAD GX53-CCT & WATT SETTABLE

LAMP	POWER SETTABLE	LUMINOUS FLUX UP TO	VOLTAGE RANGE	CCT SETTABLE	
GX53 LED	15W WATT SET 9W eco mode	1940 lm 1300 lm	100-240V 50/60 Hz	4000K/2700K CCT SET	=150W INCANDESCENT =100W INCANDESCENT


AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

UMBERTA




E27	2B3.000.E27	SMART PACK
E27	1B3.000.E27	SINGLE BOX
2x E27	2B3.000.E28	SMART PACK
2x E27	1B3.000.E28	SINGLE BOX
NEW VERSION GX53 LED 15W CCT SET WATT SET	1B3.000.E1P	




Standard Master box: ***12pcs***
Smart Master box: ***16pcs***











UMBERTA EMERGENCY	UMBERTA SENSOR	
1B3.000.EM1	E27	1B3.000.ES7
	2xE27	1B3.000.ES8
	GX53	1B3.000.ESP





SCAN ME!

TECHNICAL INFO

MADE IN ITALY


GELMI - DANZI - STUCCHI - CECCHI - RITA

BULKHEAD



DANZI
1D3.000

NEW GX53 LED Ø160



15W 1940 lm

More details at page 215

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP66 · CLASS II DOUBLE INSULATION

GELMI
1G3.000



STUCCHI
1U3.000





RITA
1T3.000

SUPPLIED FULLY PRE-WIRED

GX53 LED	E27	E27 + SENSOR
		
		WITH SENSOR 220-240V (.ES7)

NEW

LED BULKHEAD GX53-CCT & WATT SETTABLE					
LAMP	POWER SETTABLE	LUMINOUS FLUX UP TO	VOLTAGE RANGE	CCT SETTABLE	
GX53 LED	15W WATT SET 9W eco mode	1940 lm 1300 lm	100-240V 50/60 Hz	4000K/2700K CCT SET	=150W INCANDESCENT =100W INCANDESCENT

AVAILABLE COLORS		
RESIN BODY (MOULDED COLOURS)		DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)




GELMI



NEW VERSION

E27		1G3.000.E27
GX53 LED 15W	CCT SET, WATT SET	1G3.000.E1P




Master box: **16pcs**

GELMI-EL



NEW VERSION

E27		2G3.000.E27
GX53 LED 15W	CCT SET, WATT SET	2G3.000.E1P




Master box: **16pcs**

GELMI-GR



NEW VERSION

E27		3G3.000.E27
GX53 LED 15W	CCT SET, WATT SET	3G3.000.E1P



Master box: **16pcs**

GARDEN CLASSIC
10 HALF LANTER
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

NEW


LED BULKHEAD GX53-CCT & WATT SETTABLE					
LAMP	POWER SETTABLE	LUMINOUS FLUX UP TO	VOLTAGE RANGE	CCT SETTABLE	
GX53 LED	15W WATT SET 9W eco mode	1940 lm 1300 lm	100-240V 50/60 Hz	4000K/2700K CCT SET	=150W INCANDESCENT =100W INCANDESCENT

AVAILABLE COLORS	
RESIN BODY (MOULDED COLOURS)	DIFFUSER
BLACK (A), GREY (L), WHITE (W)	OPAL (Y)

DANZI



	E27	1D3.000.E27
NEW VERSION	GX53 LED 15W CCT SET WATT SET	1D3.000.E1P




Master box: **16pcs**

DANZI-VE



	E27	2D3.000.E27
NEW VERSION	GX53 LED 15W CCT SET WATT SET	2D3.000.E1P




Master box: **16pcs**

DANZI-GR



	E27	3D3.000.E27
NEW VERSION	GX53 LED 15W CCT SET WATT SET	3D3.000.E1P



Master box: **16pcs**

STUCCHI - CECCHI - RITA

NEW


LED BULKHEAD GX53-CCT & WATT SETTABLE

LAMP	POWER SETTABLE	LUMINOUS FLUX UP TO	VOLTAGE RANGE	CCT SETTABLE	
GX53 LED	15W WATT SET 9W eco mode	1940 lm 1300 lm	100-240V 50/60 Hz	4000K/2700K CCT SET	=150W INCANDESCENT =100W INCANDESCENT


AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

STUCCHI



E27		1U3.000.E27
NEW VERSION	GX53 LED 15W CCT SET WATT SET	1U3.000.E1P



Master box: **16pcs**

BACKLIT COLOURS VERSION


*To order the backlit version add the following suffixes at the end of the code.

CLEAR .CL1	PINK .PK1	BLUE .BU1	GREEN .GN1	ORANGE .OR1

CECCHI



E27		1H3.000.E27
NEW VERSION	GX53 LED 15W CCT SET WATT SET	1H3.000.E1P



Master box: **16pcs**

BACKLIT COLOURS VERSION


*To order the backlit version, add the following suffixes at the end of the code.

CLEAR .CL1	PINK .PK1	BLUE .BU1	GREEN .GN1	ORANGE .OR1

RITA



E27		1T3.000.E27
NEW VERSION	GX53 LED 15W CCT SET WATT SET	1T3.000.E1P



Master box: **12pcs**

MOULDED COLOURS

ANTIQUE BLACK(A)	ANTIQUE WHITE(W)

PAINTED COLOURS

*To order the painted colour version add, the following suffixes at the end of the code.

ANTIQUE GREEN(V)	ANTIQUE BRONZE(B)


GARDEN CLASSIC
10 HALF LANTER
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

LUCIA
BULKHEAD

fumagalli since 1973

MADE IN ITALY

NEW GX53 LED Ø160



15W 1940 lm

More details at page 215

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP66 · CLASS II DOUBLE INSULATION

1R4.000

BACKLIT COLOURS AVAILABLE

*To order the backlit version, add the following suffixes at the end of the code.

CLEAR	PINK	BLUE	GREEN	ORANGE
.CL1	**.PK1**	**.BU1**	**.GN1**	**.OR1**



SUPPLIED FULLY PRE-WIRED

NEW GX53 144 lumen/W



SMART PACK AVAILABLE

- Save **21%** volume
- ECO-friendly packaging
- Film wrapped items




NEW

LED BULKHEAD GX53-CCT & WATT SETTABLE

LAMP	POWER SETTABLE	LUMINOUS FLUX UP TO	VOLTAGE RANGE	CCT SETTABLE	
GX53 LED	15W WATT SET 9W eco mode	1940 lm 1300 lm	100-240V 50/60 Hz	4000K/2700K CCT SET	=150W INCANDESCENT =100W INCANDESCENT

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)



SMART PACK *


E27 1R4.000.E27

NEW VERSION

LUCIA

E27 1R3.000.E27 SINGLE BOX

GX53 LED 15W CCT SET WATT SET 1R3.000.E1P




cbm: ***0,19***
Master box: ***16pcs***

REMI/LUCIA

E27 1R3.602.E27 SINGLE BOX

GX53 LED 15W CCT SET WATT SET 1R3.602.E1P



Master box: ***16pcs***



SMART PACK *


E27 2R4.000.E27

NEW VERSION

LUCIA-EL

E27 2R3.000.E27 SINGLE BOX

GX53 LED 15W CCT SET WATT SET 2R3.000.E1P




cbm: ***0,19***
Master box: ***16pcs***


REMI/LUCIA-EL

E27 2R3.602.E27 SINGLE BOX

GX53 LED 15W CCT SET WATT SET 2R3.602.E1P



Master box: ***16pcs***



SMART PACK *


E27 3R4.000.E27

NEW VERSION

LUCIA-GD

E27 3R3.000.E27 SINGLE BOX

GX53 LED 15W CCT SET WATT SET 3R3.000.E1P




cbm: ***0,19***
Master box: ***16pcs***

REMI/LUCIA-GD

E27 3R3.602.E27 SINGLE BOX

GX53 LED 15W CCT SET WATT SET 3R3.602.E1P



Master box: ***16pcs***


GARDEN CLASSIC
10 HALF LANTER
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

MADDI
BULKHEAD

fumagalli since 1973

MADE IN ITALY

NEW GX53 LED Ø160



15W 1940 lm

More details at page 215

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP66 · CLASS II DOUBLE INSULATION

1V4.000

BACKLIT COLOURS AVAILABLE

*To order the backlit version, add the following suffixes at the end of the code.

CLEAR	PINK	BLUE	GREEN	ORANGE
.CL1	**.PK1**	**.BU1**	**.GN1**	**.OR1**

SUPPLIED FULLY PRE-WIRED

NEW GX53 144 lumen/W

GX53 LED	E27	E27 + SENSOR
		WITH SENSOR 220-240V (.ES7)

SMART PACK AVAILABLE

- Save **21%** volume
- ECO-friendly packaging
- Film wrapped items

SAVE 21% VOLUME

cbm: **0,15**
Master box: **16 pcs**

NEW

LED BULKHEAD GX53-CCT & WATT SETTABLE

LAMP	POWER SETTABLE	LUMINOUS FLUX UP TO	VOLTAGE RANGE	CCT SETTABLE	
GX53 LED	15W WATT SET 9W eco mode	1940 lm 1300 lm	100-240V 50/60 Hz	4000K/2700K CCT SET	=150W INCANDESCENT =100W INCANDESCENT

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)



SMART PACK *


E27 1V4.000.E27

NEW VERSION

MADDI

E27 1V3.000.E27 SINGLE BOX

GX53 LED 15W CCT SET WATT SET 1V3.000.E1P




cbm: ***0,19***
Master box: ***16pcs***

REMI/MADDI

E27 1V3.602.E27 SINGLE BOX

GX53 LED 15W CCT SET WATT SET 1V3.602.E1P



Master box: ***16pcs***



SMART PACK *


E27 2V4.000.E27

NEW VERSION

MADDI-VE

E27 2V3.000.E27 SINGLE BOX

GX53 LED 15W CCT SET WATT SET 2V3.000.E1P




cbm: ***0,19***
Master box: ***16pcs***

REMI/MADDI-VE

E27 2V3.602.E27 SINGLE BOX

GX53 LED 15W CCT SET WATT SET 2V3.602.E1P



Master box: ***16pcs***



SMART PACK *


E27 3V4.000.E27

NEW VERSION

MADDI-HL

E27 3V3.000.E27 SINGLE BOX

GX53 LED 15W CCT SET WATT SET 3V3.000.E1P




cbm: ***0,19***
Master box: ***16pcs***

REMI/MADDI-HL

E27 3V3.602.E27 SINGLE BOX

GX53 LED 15W CCT SET WATT SET 3V3.602.E1P



Master box: ***16pcs***

GARDEN CLASSIC
10 HALF LANTER
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

GIORGIO / ROSA

POST

fumagalli since 1973

MADE IN ITALY

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP66 · CLASS II DOUBLE INSULATION



AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)

BLACK **(A)** GREY **(L)** WHITE **(W)**

DIFFUSER

OPAL **(Y)**

AVAILABLE VERSIONS

GX53 LED

NEW

LED GX53

4x GX53

4X GX53 LED GX53

2x E27

CFL LED

EKTOR / GIORGIO - ROSA

GIORGIO LED VERSIONS

LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	CCT SETTABLE	
NEW GX53 LED	15W WATT SET 9W eco mode	1940 lm 1300 lm	100-240V 50/60 Hz	4000K/2700K CCT SET	=100W INCANDESCENT
4x GX53	4x10W 40W	5160 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=100W HQI-SON

ROSA LED VERSIONS


LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
NEW GX53 LED	2x 15W WATT SET 2x 9W eco mode	1940 lm 1300 lm	100-240V 50/60 Hz	4000K/2700K CCT SET	=100W INCANDESCENT
GX53 LED	2x40W 80W	10320 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=2x100W HQI - SON

EKTOR 2500 /GIORGIO

E27		4P2.361.G10.E28
4x10W 40W	CCT SET	4P2.361.G10.D4K
GX53 LED 15W	CCT SET + WATT SET	4P1.361.G10.E1P

NEW VERSION






EKTOR 2500 /ROSA

2x E27		4P2.361.G20.E28
2x 40W	CCT SET	4P2.361.G20.D4K
GX53 LED 2x 15W	CCT SET + WATT SET	4P1.361.G20.E1P

NEW VERSION





GARDEN CLASSIC
10 HALF LANTER
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

BEPPE 400/VIVI 400

POST

fumagalli since 1973

MADE IN ITALY

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP65 · CLASS II DOUBLE INSULATION



NEW HIGH POWER LED

INDOOR & OUTDOOR USE

+80°C -30° · 90% HUMIDITY

VOLTAGE SURGE RESISTANT

30W (3620 lm)
50W (6550 lm)

More details at page 216

EKTOR / BEPPE-VIVI 400

BEPPE-VIVI 400 HIGH POWER LED

LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	COLOUR TEMPERATURE	
HIGH POWER LED E27	30W	3620 lm	100-240V 50/60 Hz	3000K/ 4000K	=70W HQI-SON
HIGH POWER LED E27	50W	6550 lm	100-240V 50/60 Hz	4000K 3000K	=70W HQI-SON

AVAILABLE COLORS


RESIN BODY *(MOULDED COLOURS)*

BLACK **(A)** GREY **(L)** WHITE **(W)**



DIFFUSER


CLEAR **(X)** OPAL **(Y)**




EKTOR 2500 / BEPPE400

30W LED	CCT SET	P50.361.Q1K
50W LED	4000K	P50.361.H1L
	3000K	P50.361.H1R

HIGH POWER LED VERSION






EKTOR 2500 MIDIPILAR / VIVI400 1L

30W LED	CCT SET	V50.361.A10.Q1K
50W LED	4000K	V50.361.A10.H1L
	3000K	V50.361.A10.H1R

HIGH POWER LED VERSION







FORTUNATO
for details see pag.205



BISSO/ROSETTA
for details see pag. 211

fumagalli®
since 1973


SOLAR



JOSEPHA 800
for details see pag.209



FIORINA
for details see pag. 205



FELICE 200
for details see pag.207



FELICE 400
for details see pag.207

SOLAR MODULE NEW VERSION

TOP SELECTION 2026 - SOLAR RANGE



MINILOT/ROSETTA
for details see pag.211



JOSEPHA 160
for details see pag.209


TÜV CERTIFIED LED MODULES

fumagalli since 1973

SWITCH FOR ON/OFF and BATTERY ACTIVATION

SOLAR PANEL
- Panel 2W/5V
- Monocrystalline
- High resistant tempered glass

MATERIAL
- **PC material** suitable for outdoor use
- **UV rays stabilized**
- **Anti shock**



REPLACEABLE BATTERY
- Quick and easy battery replacement
- LiFePO4 IFR 26650 3,4Ah-3,2V
- No risk of explosion



PIR SENSOR
- Detection angle **120°**
- Fields of detection up to **5m**
- Active for 25 sec.



LENS
- Frosted color lens reducing dazzle.
- Made of UV rays stabilized resin material to avoid yellowing process.
- Very compact and slim design for a better light distribution and for improving the light efficiency.

LED
- Power absorption of the led plate 2,7W (at 100% light)
- LED chips connected by pure **gold wires** able to withstand at the highest and lowest temperatures and granting a **lumens maintenance factor > 80%**.
- SMD 2835 LED.
- 4000K CRI**>80**



IECEE CB CERTIFICATE
SG PSB-LE-05512

NEW VERSION

SOLAR



IP65

✓	SOLAR PANEL COVER IN HIGH RESISTANT TEMPERED GLASS
IP65 ✓	IMPROVED IP PROTECTION
✓	SAME SWITCH FOR ON/OFF AND BATTERY ACTIVATION
✓	VERY SIMPLE USE

BATTERY ACTIVATION BOTTON	SELF-ADJUSTING WORKING MODE
ON/OFF	7% 20 lm · 100% 280 lm for 25 sec. · ENERGY SAVING MODE · FULL POWER MODE
OFF MODE TO PRESERVE THE BATTERY	AUTONOMY **46h** *(at fully charged battery)*
	CHARGING TIME 6h *at 60.000 Lux (full sunny day)*

REPLACEABLE BATTERY	
REPLACEABLE BATTERY	• LiFePO4 IFR 26650E3400, 3,2V • No risk of explosion • Longer Lifetime
NO WIRES NEEDED	
MOTION SENSOR	
SENSOR	• PIR Sensor control • Detection angle 120° • Fields of detection up to 5mt • Active for 25 sec.
120° 5mt.	
SOLAR PANEL	
SOLAR PANEL	• 5V/2W • Monocrystalline • High resistant tempered glass
ANTI SHOCK	

TÜV SÜD CE CB

LVD EMC ERP

IECEE CB SCHEME

FIORINA

SOLAR MODERN

fumagalli since 1973

MADE IN ITALY

UV-TREATED · ANTI-SHOCK · CE · CB IECEE CB SCHEME · IP55 · INSULATION CLASS III

SOLAR



FI1.542.S3L

Discover the collection SCAN ME!

FIORINA/FORTUNATO SOLAR				
SOLAR MODULE NEW VERSION	BATTERY LiFePO4	SOLAR PANEL	LUMINOUS FLUX	COLOUR TEMPERATURE
SOLAR LED MODULE	3,4Ah 3,2V REPLACEABLE BATTERY	5V/2W	max 280Lm	4000K

AVAILABLE COLORS

RESIN BODY

(MOULDED COLOURS)


BLACK **(A)** GREY **(L)** WHITE **(W)**

FIORINA




FI1.542.S3L

SPIKE INSTALLATION



DUAL USE

GROUND INSTALLATION




SENSOR

Master box: ***6pcs***

FORTUNATO



FO1.000.S3L



SENSOR

Master box: ***12pcs***

GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

FELICE - SANTINA- JOSEPHA

SOLAR MODERN

fumagalli since 1973

MADE IN ITALY

SOLAR

UV-TREATED · ANTI-SHOCK · CE · CB IECEE CB SCHEME · IP55 · INSULATION CLASS III



FELICE 800
FE1.575.S3LOP2



SANTINA
SL1.256.S3LOP2



JOSEPHA
JS1.242.S3LOP2

Discover the collection
SCAN ME!

REFLECTOR - OPTIONAL COLOURS

	CLEAR	BLUE	GREEN
code:	HX.SOL.RFL	HU.SOL.RFL	HN.SOL.RFL

FELICE SOLAR				
SOLAR MODULE NEW VERSION	BATTERY LiFePO4	SOLAR PANEL	LUMINOUS FLUX	COLOUR TEMPERATURE
SOLAR LED MODULE	3,4Ah 3,2V REPLACEABLE BATTERY	5V/2W	max 280Lm	4000K


SOLAR

AVAILABLE COLORS	
RESIN BODY (MOULDED COLOURS)	REFLECTOR (STANDARD VERSION)
BLACK (A), GREY (L), WHITE (W)	OPAL (.OP2)

FELICE 800



FE1.575.S3LOP2
OPAL REFLECTOR




SENSOR

Master box: **4pcs**

FELICE 400



FE1.574.S3LOP2
OPAL REFLECTOR




SENSOR

Master box: **12pcs**

FELICE 200



FE1.573.S3LOP2
OPAL REFLECTOR




SENSOR

Master box: **18pcs**

FELICE 200 SPIKE



FE1.572.S3LOP2
OPAL REFLECTOR



SENSOR

Master box: **18pcs**

GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS


SANTINA SOLAR				
SSOLAR MODULE NEW VERSION	BATTERY LiFePO4	SOLAR PANEL	LUMINOUS FLUX	COLOUR TEMPERATURE
SOLAR LED MODULE	3,4Ah 3,2V REPLACEABLE BATTERY	5V/2W	max 280Lm	4000K

AVAILABLE COLORS	
RESIN BODY (MOULDED COLOURS)	REFLECTOR (STANDARD VERSION)
BLACK (A)	OPAL (.OP2)




SANTINA 800

SL1.257.S3LOP2
OPAL REFLECTOR




SANTINA 500

SL1.256.S3LOP2
OPAL REFLECTOR



SANTINA 300


SL1.255.S3LOP2
OPAL REFLECTOR






SANTINA 800 SPIKE

SL1.260.S3LOP2
OPAL REFLECTOR




SANTINA 500 SPIKE

SL1.259.S3LOP2
OPAL REFLECTOR



SANTINA 300 SPIKE

SL1.258.S3LOP2
OPAL REFLECTOR




JOSEPHA SOLAR				
SOLAR MODULE NEW VERSION	BATTERY LiFePO4	SOLAR PANEL	LUMINOUS FLUX	COLOUR TEMPERATURE
SOLAR LED MODULE	3,4Ah 3,2V REPLACEABLE BATTERY	5V/2W	max 280Lm	4000K

AVAILABLE COLORS	
RESIN BODY *(MOULDED COLOURS)*	REFLECTOR *(STANDARD VERSION)*
BLACK **(A)** · GREY **(L)** · WHITE **(W)**	OPAL **(.OP2)**

JOSEPHA 160



JS1.114.S3LOP2
OPAL REFLECTOR




SENSOR

Master box: ***18pcs***

JOSEPHA 800



JS1.242.S3LOP2
OPAL REFLECTOR



SENSOR

GARDEN CLASSIC
10 HALF LANTERN
16 REVIVAL
46 GARDEN SMALL
62 GARDEN MEDIUM
82 GARDEN LARGE
98 BOLLARD
GARDEN MODERN
108 BOLLARD
136 DOWNLIGHT
144 UP&DOWN
154 FLOODLIGHT
166 IN-GROUND
172 BRICKLIGHT
182 BULKHEAD
196 POST
SOLAR
204 SOLAR MODERN
210 SOLAR CLASSIC
212 LAMPS

ROSETTA

SOLAR CLASSIC

fumagalli since 1973

MADE IN ITALY

U.V. UV-TREATED · ANTI-SHOCK · CE · CB IECEE CB SCHEME · IP55 · INSULATION CLASS III




ROSETTA SOLAR				
SOLAR MODULE NEW VERSION	BATTERY LiFePO4	SOLAR PANEL	LUMINOUS FLUX	COLOUR TEMPERATURE
SOLAR LED MODULE	3,4Ah 3,2V REPLACEABLE BATTERY	5V/2W	max 280Lm	4000K

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK **(A)**	FROSTED **(F)**

BISSO/ROSETTA



SOLAR R22.131.S3L




SENSOR

Master box: ***12pcs***

MINILOT/ROSETTA



SOLAR R22.111.S3L




SENSOR

Master box: ***12 pcs***

MIZAR/ROSETTA



SOLAR R22.151.S3L




SENSOR

IAFET/ROSETTA



SOLAR R22.162.S3L



SENSOR

TÜV CERTIFIED LED MODULES





Power surges resistant

- **Wide voltage range (100-240V)** to protect the driver both from voltage droop and voltage overshoot, which are quite frequent in case of outdoor installations.
- **Double 400V capacitors** and multiple resistances to withstand power surges.
- **Silicone paste** to avoid – in case of voltage swings - the vibration of the electronic components of the driver and the consequent risk of components unsoldering.

Heat resistant - Working temperature -30°+80°C

- **Gold wire bonding:** Chips connected by pure gold wires, which are able to withstand at the highest and lowest temperatures and at temperature fluctuations between day and night. The gold wire bonding can grant a lumens maintenance factor > 80%.
- **Silicone paste:** Thermoconductive silicone paste with metal powder inside for helping heat dissipation and avoid overheating problems and for protecting the electronic components in case of high and low temperatures.

Humidity resistant - Weatherproof driver for a longer lifetime

- **Silicone paste:** The driver is fully enclosed in a special silicone paste, which ensures the highest driver protection against moisture and humidity up to 90%, both unavoidable in outdoor installations.

CE



LVD TESTED	***LVD Certificate:*** *Fumagalli lamps fulfil the Low Voltage Directive 2014/35/EU, therefore are CE marked and comply with safety requirements like protection against electrical shock, moisture and heat resistance, resistance to flame and ignition.*
EMC TESTED	***EMC Certificate:*** *Fumagalli lamps meet the Electromagnetic Compatibility Directive 2014/30/EU and its amendments.*
NEW ERP	***New ERP Attestation of conformity:*** *Fumagalli lamps fulfil the NEW European Ecodesign Directive EU 2019/2020, which sets stricter energy efficiency requirements, new verification tolerances and other factors such as bulb lifetime and warm-up time.*
CB IECEE CB SCHEME	***IECEE CB Certificate:*** *Fumagalli lamps meet the International System for Conformity and Certification of Electrotechnical Equipment allowing direct market access in more than 50 countries all over the world.*
RoHS REACH COMPLIANT	***RoHS REACH compliant:*** *Fumagali lamps fulfil the RoHS (Restriction of Hazardous Substances) directive 2011/65/EU and its amendements and the REACH regulation (EC) No. 1907/2006, regarding the concentration of Very High Concern Substances (SVHC).*

Tested according to :
EN 62560:2012/A1: 2019
IEC/TR 62778:2014
EN 62493:2015/A1:2022

IECEE CB SCHEME





SASO

Saudi Standards

Fumagalli lamps meet the Saudi energy efficiency and functionality requirements according to SASO Directive 2870:2018/ADM1:2021. A SASO version packaging with Energy Efficiency label, according to 6.000 hours EEI test report, is available upon request.

TÜV CERTIFIED LED MODULES

E27 LED A60- CCT SETTABLE



VOLTAGE
100-240V



CCT SETTABLE
2700 K | 4000 K | 6500 K
SDCM <6

INDOOR & OUTDOOR USE
-30 +80 °C | 90% HUMIDITY
VOLTAGE SURGE RESISTANT

ENERG
FUMAGALLI S.R.L.
H.LED.A60.CCT
A B C D E F G
F
9 kWh/1000h

COMPLY WITH:
EU 2019/2015
EU 2019/2020

TÜV SÜD
CE LVD EMC
CB ERP
IECEE CB SCHEME
IECEE CB CERTIFICATE:
SG PSB-LE-03297

POWER		8,5 W	11 W
LUMINOUS FLUX (Φ TOTAL)	2700 K	840 lm	1100 lm
	4000 K	920 lm	1200 lm
	6500 K	920 lm	1200 lm
SIZE & SOCKET			
VOLTAGE		100-240 V	100-240 V
FREQUENCY		50/60 Hz	50/60 Hz
DISPLACEMENT FACTOR		>0,5	>0,7
PSTLM (NO FLICKER)		< 1	< 1
SVM		0,4	0,4
CRI		> 80	> 80
SDCM		<6	<6
LIFETIME		25.000 h	25.000 h
EFFICIENCY CLASS		F	F
REF. CODE		H.LED.A60.CCT	H2.LED.A60.CCT

*SASO version available upon request

E27 LED FILAMENT A60




VOLTAGE
100-240V

INDOOR & OUTDOOR USE
-30 +80 °C | 90% HUMIDITY
VOLTAGE SURGE RESISTANT

ENERG
FUMAGALLI SRL
H.LED.FIL.3K(V3)
A B C D E F G
E
7 kWh/1000h

COMPLY WITH:
EU 2019/2015
EU 2019/2020

TÜV SÜD
CE LVD EMC
CB ERP
IECEE CB SCHEME
IECEE CB CERTIFICATE:
SG PSB-LE-03735


POWER		6,5 W
LUMINOUS FLUX (Φ TOTAL)	2700 K	800 lm
SIZE & SOCKET		
VOLTAGE		100-240 V
FREQUENCY		50/60 Hz
DISPLACEMENT FACTOR		>0,5
CRI		> 80
SWITCHING CYCLE		>100.000
WARM UP TIME		≤ 0,5"
LIFETIME		25.000 h
EFFICIENCY CLASS		E
REF. CODE		H.LED.FIL.3K

TÜV CERTIFIED LED MODULES

GX53 LED Ø75mm- CCT SETTABLE



VOLTAGE 100-240V

POWER		3 W
LUMINOUS FLUX (Φ TOTAL)	3000 K	405 lm
	4000 K	410 lm
	6500 K	410 lm
SIZE & SOCKET		

CCT SETTABLE
3000 K 4000 K 6500 K
SDCM <6

INDOOR & OUTDOOR USE
-30 +80 °C | 90% HUMIDITY
VOLTAGE SURGE RESISTANT

ENERG
FUMAGALLI SRL
H.LED.G53.CCT(10)
A B C D E F G
E
3
kWh/1000h
2019/2015

COMPLY WITH:
EU 2019/2015
EU 2019/2020

TÜV SÜD
CE LVD EMC
CB ERP


IECEE CB SCHEME
IECEE CB CERTIFICATE:
SG PSB-LE-03887

LUMINOUS FLUX (Φ USE 120°)	335 lm
VOLTAGE	**100-240 V**
FREQUENCY	50/60 Hz
PSTLM (NO FLICKER)	<1
SVM	0,4
CRI	> 80
SDCM	<6
BEAM ANGLE	112°
SWITCHING CYCLE	> 30.000
WARM UP TIME	0s
LIFETIME	25.000 h
EFFICIENCY CLASS	E
REF. CODE	H.LED.G53.CCT

GX53 LED Ø100mm - CCT SETTABLE



VOLTAGE 100-240V

POWER		10W
LUMINOUS FLUX (Φ TOTAL)	3000 K	1190 lm
	4000 K	1290 lm
	6500 K	1210 lm
SIZE & SOCKET		

CCT SETTABLE
3000 K 4000 K 6500 K
SDCM <6

SILICONE PROTECTION
DRIVER
INDOOR & OUTDOOR USE
-30 +80 °C | 90% HUMIDITY
VOLTAGE SURGE RESISTANT

ENERG
FUMAGALLI S.R.L.
H3.LED.G53.CCT
A B C D E F G
E
10
kWh/1000h
2019/2015

COMPLY WITH:
EU 2019/2015
EU 2019/2020


TÜV SÜD
CE LVD EMC
CB ERP

IECEE CB SCHEME
IECEE CB CERTIFICATE:
SG PSB-LE-03887

LUMINOUS FLUX (Φ USE 120°)	975 lm
VOLTAGE	**100-240 V**
FREQUENCY	50/60 Hz
DISPLACEMENT FACTOR	>0,5
PSTLM (NO FLICKER)	< 1
SVM	0,4
CRI	> 80
SDCM	<6
BEAM ANGLE	112°
SWITCHING CYCLE	> 30.000
WARM UP TIME	0s
LIFETIME	25.000 h
EFFICIENCY CLASS	E
REF. CODE	H3.LED.G53.CCT


*SASO version available upon request


TÜV CERTIFIED LED MODULES




GX53 LED Ø160mm- POWER SETTABLE / CCT SETTABLE



POWER		**15W** / 9 W eco mode
LUMINOUS FLUX (Φ TOTAL)	2700 K	**1780 lm** 1200 lm
	4000 K	**1940 lm** 1300 lm
SIZE & SOCKET		





COMPLY WITH:
EU 2019/2015
EU 2019/2020

TÜV SÜD
CE LVD
EMC
CB ERP


IECEE CB SCHEME
IECEE CB CERTIFICATE:
SG PSB-LE-06107

VOLTAGE	**100-240 V**
FREQUENCY	50/60 Hz
DISPLACEMENT FACTOR	>0,9
PSTLM (NO FLICKER)	<0,1
SVM	0,4
CRI	> 80
SDCM	<6
SWITCHING CYCLE	> 15.000
WARM UP TIME	≤ 0,5"
LIFETIME	25.000 h
EFFICIENCY CLASS	E
REF. CODE	H7.LED.G53.CCT

TÜV CERTIFIED LED MODULES

E27 HIGH POWER LED



POWER		15 W	30W
LUMINOUS FLUX (Φ TOTAL)	3000 K	1545 lm	3325lm
	4000 K	1690 lm	3620 lm
SIZE & SOCKET		 E27	 E27
VOLTAGE		**100-240 V**	**100-240 V**
FREQUENCY		50/60 Hz	50/60 Hz
DISPLACEMENT FACTOR		>0,7	>0,9
PSTLM (NO FLICKER)		<1	<1
SVM		0,4	0,4
CRI		> 80	> 80
SDCM		<6	<6
SWITCHING CYCLE		30.000	30.000
WARM UP TIME		< 0,5"	< 1"
LIFETIME		25.000 h	25.000 h
EFFICIENCY CLASS		F	E
REF. CODE		H3.LED.HIP.CCT	H2.LED.HIP.CCT






COMPLY WITH:
EU 2019/2015
EU 2019/2020

LVD
EMC
ERP

IECEE CB CERTIFICATE:
SG PSB-LE-03835
SG PSB-LE-03834

E27 HIGH POWER LED



POWER		50 W	60W
LUMINOUS FLUX (Φ TOTAL)	3000 K	5850 lm	6800 lm
	4000 K	6550 lm	7600 lm
SIZE & SOCKET		 E27	 E27
VOLTAGE		**100-240 V**	**100-240 V**
FREQUENCY		50/60 Hz	50/60 Hz
DISPLACEMENT FACTOR		>0,9	>0,9
PSTLM (NO FLICKER)		<1	<1
SVM		0,4	0,4
CRI		> 80	> 80
SWITCHING CYCLE		30.000	30.000
WARM UP TIME		< 1"	< 0,5"
LIFETIME		25.000 h	25.000 h
KELVIN		3000 K / 4000 K	3000 K / 4000 K
EFFICIENCY CLASS		E / E	E / E
REF. CODE		H.LED.HIP.3K / H.LED.HIP.4K	H4.LED.HIP.3K / H4.LED.HIP.4K





COMPLY WITH:
EU 2019/2015
EU 2019/2020

LVD
EMC
ERP

IECEE CB CERTIFICATE:
SG PSB-LE-03791
SG PSB-LE-03799


*SASO version available upon request


TÜV CERTIFIED LED MODULES


GU10 LED - CCT SETTABLE



POWER		**2,9 W**
LUMINOUS FLUX (Φ TOTAL)	2700 K	360 lm
	4000 K	390 lm
SIZE & SOCKET		
LUMINOUS FLUX (Φ USE 90°)		280 lm
VOLTAGE		**100-240 V**
FREQUENCY		50/60 Hz
DISPLACEMENT FACTOR		>0,95
PSTLM (NO FLICKER)		<1
SVM		0,4
CRI		> 80
SDCM		<5
BEAM ANGLE		48°
SWITCHING CYCLE		> 25.000
WARM UP TIME		⩽ 0,5"
LIFETIME		25.000 h
EFFICIENCY CLASS		E
REF. CODE		H.LED.GU10.CCT







COMPLY WITH:
EU 2019/2015
EU 2019/2020


LVD
EMC
ERP

IECEE CB CERTIFICATE:
SG PSB-LE-06599

GU10 LED - CCT SETTABLE



POWER		**4,8 W**
LUMINOUS FLUX (Φ TOTAL)	2700 K	580 lm
	4000 K	625 lm
SIZE & SOCKET		
LUMINOUS FLUX (Φ USE 90°)		450 lm
VOLTAGE		**100-240 V**
FREQUENCY		50/60 Hz
DISPLACEMENT FACTOR		>0,95
PSTLM (NO FLICKER)		<1
SVM		0,4
CRI		> 80
SDCM		<5
BEAM ANGLE		47°
SWITCHING CYCLE		> 25.000
WARM UP TIME		⩽ 0,5"
LIFETIME		25.000 h
EFFICIENCY CLASS		E
REF. CODE		H2.LED.GU10.CCT







COMPLY WITH:
EU 2019/2015
EU 2019/2020

LVD
EMC
ERP


IECEE CB CERTIFICATE:
SG PSB-LE-06599

*SASO version available upon request

TÜV CERTIFIED LED MODULES

R7s LED 78mm- CCT SETTABLE

SIZE & SOCKET: R7s



CCT SETTABLE 2700 K 4000 K 6500 K SDCM <6

INDOOR & OUTDOOR USE -30 +80 °C 90% HUMIDITY VOLTAGE SURGE RESISTANT

CE LVD EMC TÜV SÜD ERP

ENERG FUMAGALLI S.R.L. H7.LED.R7S.CCT A B C D E F G F 4 kWh/1000h 2019/2015




COMPLY WITH: EU 2019/2015 EU 2019/2020

VOLTAGE 100-240V

POWER		3,5W
LUMINOUS FLUX (Φ TOTAL)	2700 K	325 lm
	4000 K	365 lm
	6500 K	365 lm
VOLTAGE		**100-240 V**
FREQUENCY		50/60 Hz
DISPLACEMENT FACTOR		>0
PSTLM (NO FLICKER)		<1
SVM		0,4
CRI		> 80
SDCM		<6
SWITCHING CYCLE		45.000
WARM UP TIME		⩽ 0,5"
LIFETIME		25.000 h
EFFICIENCY CLASS		F
REF. CODE		H7.LED.R7S.CCT

R7s LED 118mm- CCT SETTABLE

SIZE & SOCKET: R7s



SILICONE PROTECTION DRIVER

CCT SETTABLE 2700 K 4000 K 6500 K SDCM <6

INDOOR & OUTDOOR USE -30 +80 °C 90% HUMIDITY VOLTAGE SURGE RESISTANT

CE LVD EMC TÜV SÜD ERP

ENERG FUMAGALLI S.R.L. H8.LED.R7S.CCT A B C D E F G F 8 kWh/1000h 2019/2015




COMPLY WITH: EU 2019/2015 EU 2019/2020

VOLTAGE 100-240V

POWER		7,5 W
LUMINOUS FLUX (Φ TOTAL)	2700 K	680 lm
	4000 K	775 lm
	6500 K	790 lm
VOLTAGE		**100-240 V**
FREQUENCY		50/60 Hz
DISPLACEMENT FACTOR		>0,5
PSTLM (NO FLICKER)		<1
SVM		0,4
CRI		> 80
SDCM		<6
SWITCHING CYCLE		45.000
WARM UP TIME		⩽ 0,5"
LIFETIME		25.000 h
EFFICIENCY CLASS		F
REF. CODE		H8.LED.R7S.CCT

R7s LED 189mm- CCT SETTABLE

SIZE & SOCKET: R7s



SILICONE PROTECTION DRIVER

CCT SETTABLE 2700 K 4000 K 6500 K SDCM <6

INDOOR & OUTDOOR USE -30 +80 °C 90% HUMIDITY VOLTAGE SURGE RESISTANT

CE LVD EMC TÜV SÜD ERP

ENERG FUMAGALLI H9.LED.R7S.CCT A B C D E F G F 11 kWh/1000h 2019/2015



COMPLY WITH: EU 2019/2015 EU 2019/2020

VOLTAGE 100-240V

POWER		10,5 W
LUMINOUS FLUX (Φ TOTAL)	2700 K	1000 lm
	4000 K	1130 lm
	6500 K	1160 lm
VOLTAGE		**100-240 V**
FREQUENCY		50/60 Hz
DISPLACEMENT FACTOR		>0,7
PSTLM (NO FLICKER)		<1
SVM		0,4
CRI		> 80
SDCM		<6
SWITCHING CYCLE		45.000
WARM UP TIME		⩽ 0,5"
LIFETIME		25.000 h
EFFICIENCY CLASS		F
REF. CODE		H9.LED.R7S.CCT


*SASO version available upon request

TÜV CERTIFIED LED MODULES

G9LED



VOLTAGE 100-240V

POWER		1,7 W
LUMINOUS FLUX (Φ TOTAL)	3000 K	150 lm
	4000 K	150 lm
SIZE & SOCKET		

VOLTAGE	**100-240 V**	
FREQUENCY	50/60 Hz	
PSTLM (NO FLICKER)	<1	
SVM	0,9	
CRI	> 80	
SDCM	<6	
SWITCHING CYCLE	>40.000	
WARM UP TIME	⩽ 0,5"	
LIFETIME	15.000 h	
KELVIN	3000 K	4000 K
EFFICIENCY CLASS	F	F
REF. CODE	H.LED.G09.3K	H.LED.G09.4K

INDOOR & OUTDOOR USE
-30 +80 °C | 90% HUMIDITY
VOLTAGE SURGE RESISTANT

ENERG
FUMAGALLI S.R.L.
H.LED.G09.3K
F
2 kWh/1000h
2019/2015

COMPLY WITH:
EU 2019/2015
EU 2019/2020

TÜV SÜD
CE LVD EMC
CB ERP

IECEE CB SCHEME
IECEE CB CERTIFICATE:
SG PSB-LE-02130

*SASO version available upon request.



SOLAR MODULE

NEW VERSION

SOLAR



IP65

SIZE		

ENERGY SAVING MODE	LUMEN	20
	AUTONOMY	46h
FULL POWER MODE	LUMEN	280
	ACTIVE TIME	25 sec
SOLAR PANEL	5V/2W	
	Monocrystaline	
	Antishock material	
	High resistant tempered glass	
CHARGING TIME	6h	
REPLACEABLE BATTERY	LiFePO4 IFR26650E3400, 3.2V	
	No Risk of explosion	
	Longer Lifetime	
PIR SENSOR	Detection angle 120°	
	Fields of detection up to 5 mt	
	Active for 25 sec.	
LED	1 CIRCUITS	SMD 2835
	COLOR RENDERING INDEX RA	> 80
	SDCM	< 6
	LIFETIME	30.000 h
	KELVIN	4000 K
REF. CODE	H2.LED.SOL.4K	

IECEE CB SCHEME
IECEE CB CERTIFICATE:
SG PSB-LE-05512

TÜV SÜD
CE
CB
LVD EMC ERP

MARKETING TOOLS

DISPLAY STAND

H.STAND.01

SCAN ME!

VIDEO PRESENTATION

360° DISPLAY
- 4 sides solid and resistant stand in MDF material, complete with basement for bollard fixation.


MARKETING SUPPORT
- **Coloured images** for emphasizing resin material advantages, Italian origin and brand identity.

EASY CATALOGUE ACCESS
- **QR code** on every cube for direct access to Fumagalli internet website.

MODULAR CONSTRUCTION
- Modular design concept with stackable cubes for easy installation and **screwless assembly.**

VERY COMPACT SIZE
- Suitable to be installed in every showroom.
- Occupied surface area: **0,64 sqm only**.

PACKAGING
- Kg.39,2
- mc 0,49 (2 boxes)





WALL PANEL

H.STAND.02



BASE FOR POLES

H.STAND.03



VERTICAL BANNER



H.BAN.14 H.BAN.15

GET INSPIRED BY OUR **SUGGESTED COMBINATIONS...**









1973 2023 50 YEARS

ITALY'S EXPORT CHAMPIONS 2022

MADE IN ITALY

231 DISTRIBUTORS ALL OVER THE WORLD

190 EMPLOYEES

COME TO VISIT US



CERTIFIED & READY FOR THE US

C ETL US LISTED
Intertek

Conforms to UL Std. 1598
Cert. To CSA Std. C22.2 # 250.0

Ask for our new brochure with the ETL Listed selection



RESIN MATERIAL ADVANTAGES

fumagalli® since 1973

CERTIFIED IQNet MANAGEMENT SYSTEM

ANTI RUST
LIFETIME GUARANTEE
NO PAINTING REQUIRED
MADE IN **ITALY**


NO MAINTENANCE




ANTI-CORROSION



DOUBLE INSULATION



NOT AFFECTED BY CHEMICAL FERTILIZERS



UV-RAY STABILIZED



RECYCLABLE · UV TREATED · DOUBLE INSULATION · ANTI-SHOCK · TEMPERATURE · ENERGY SAVING · RESIDENTIAL · PUBLIC

HOW TO READ THE CODE

DIFFUSER	STRUCTURE	SYSTEM	COLOUR OF THE STRUCTURE	COLOUR OF THE DIFFUSER	ELECTRIFICATION	VARIANT
IDENTIFIES THE DIFFUSER	IDENTIFIES THE STRUCTURE ON WHICH THE DIFFUSER IS MOUNTED (POLE, BRACKET, BASE, SPIKE)	IDENTIFIES THE MULTILIGHT SYSTEM IF PRESENT	IDENTIFIES THE COLOUR OF THE STRUCTURE **A** BLACK **W** WHITE **L** GREY	IDENTIFIES THE COLOUR OF THE DIFFUSER **X** CLEAR/FROSTED **Y** OPAL **Z** SMOKED **N** GREEN **R** ORANGE **U** BLUE	IDENTIFIES THE TYPE OF ELECTRIFICATION AND THE EVENTUAL PRESENCE OF BULBS	IDENTIFIES THE PRESENCE OF COMPONENTS SUCH AS AN EVENTUAL LOUVRE OR BACKLIT BASE ON THE BULKHEAD RANGE
1R3	**613**	**X20**	**A**	**Y**	**E1P**	**OR1**

MADE IN ITALY

fumagalli®

since 1973

Fumagalli S.r.l.
Via Ca'Bassa, 59
21100 Varese - ITALY
Tel.+39.0332.336353
Fax.+39.0332.336358
E-mail customerservice@fumagalli.it

www.fumagalli.it





